JOURNAL OF

Pharmaceutical Sciences

A publication of the American Pharmaceutical Association

Published monthly under the supervision of the Committee on Publications with the approval of the Board of Trustees

Editor

EDWARD G. FELDMANN

Associate Editor

SAMUEL W. GOLDSTEIN

Assistant Editor

DURWARD F. DODGEN

Assistant Editor

SANDRA SUE SMITH

Editorial Assistant

SARA GEROW

Contributing Editor

RHEA LORIS TALLEY

Committee on Publications

LLOYD M. PARKS, *chairman*
WILLIAM S. APPLE
MAX W. EGGLESTON
THOMAS J. MACEK
HUGO H. SCHAEFER

Editorial Advisory Board

JOSEPH P. BUCKLEY
JACK COOPER
EDWARD R. GARRETT
W. LEWIS NOBLES
GORDON H. SVOBODA
JOSEPH V. SWINTOSKY

VOLUME 55

INDEX TO AUTHORS
INDEX TO SUBJECTS

JANUARY TO DECEMBER, 1966

© Copyright 1966 by the American Pharmaceutical Association

Author Index

A

Aboul-Enein, M. N., *see* Ahmed, Z. F., 433
Abou-Zeid, Y. M., *see* Ghoneim, K. M., 349
Abu El-Naga, M. A., *see* Ahmed, Z. F., 433
Adams, H. J., *see* Swintosky, J. V., 992
Adelstein, G. W., *see* Counsell, R. E., 947
Aguiar, A. J., and Fifelski, R. J., effect of pH on the *in vitro* absorption of flufenamic acid, 1387
Ahlquist, R. P., the adrenergic receptor, 359; erratum, 1474
Ahmed, Z. F., El-Darawy, Z. I., Aboul-Enein, M. N., Abu El-Naga, M. A., and El-Leithy, S. A., identification of some barbiturates by paper and thin-layer chromatography, 433
Alian, A., Dessouky, Y. M., and Shabana, R., tracer and radioactivation studies on tartar emetic impurities, 969
Allewijn, F. T. N., and Demoen, P. J. A., metabolic study of 2-(acetyl-imino)-3-[hydroxy-2-(2-thienyl)ethyl]thiazoline in chickens. Detection of an active metabolite, 5,6-dihydro-6-(2-thienyl)-imidazo[2,1-*b*]thiazole, 1028
Al-Shamma, A., *see* Kier, L. B., 1467
Amai, R. L. S., *see* Forlano, A. J., 169
Amer, M. S., *see* Hammouda, Y., 1452
Amidon, G. L., *see* Schwartz, M. A., 1464
Amundson, M. A., and Manthey, J. E., excretion of nortriptyline hydrochloride in man I. Detection and determination in urinary nortriptyline, 277
Anand, N., *see* Vohra, M. M., 1425
Anderson, J. M., *see* Sauchuk, R. J., 1463
Anderson, R. C., *see* Meyers, D. B., 1317
Ansel, H. C., and Leake, W. F., hemolysis of erythrocytes by antibacterial preservatives III. Influence of dimethyl sulfoxide on the hemolytic activity of phenol, 685
Araujo, O. E., effects of certain preservatives on the aging characteristics of acacia, 636
Arney, D. C., *see* Cullen, P. D., 107
Arnsberger, R. J., *see* Brewer, J. H., 57
Aron, E. S., *see* Carstensen, J. T., 561
Asker, A. F., and Becker, C. H., some spray-dried formulations of sulfaethylthiadiazole for prolonged-released medication, 90
Augsburger, L. L., and Shangraw, R. F., effect of glidants in tableting, 418
Autian, J., *see* Calley, D., 158
——*see* Rodell, M. B., 1429

B

Bader, G., *see* De Silva, J. A. F., 692
Baker, B. R., Ho, B.-T., Coward, J. K., and Santi, D. V., analogs of tetrahydrofolic acid XXXIII. Hydrophobic bonding to dihydrofolic reductase V. Inhibition by some pyrimidines bridged to benzoic acid, 302
——and Ho, B.-T., analogs of tetrahydrolic acid XXXV. Hydrophobic bonding to dihydrofolic reductase VII. Species differences with substituted 4,6-diamino-1,2-dihydro-*s*-triazines, 470
——and Jordan, J. H., irreversible enzyme inhibitors LXVII. 2-Amino-6-(*p*-bromoacetamidophenylbutyl)-5-phenylbutyl-4-pyrimidinol, an active-site-directed irreversible inhibitor of dihydrofolic reductase, 1417
——Schwan, T. J., Novotny, J., and Ho, B.-T., analogs of tetrahydrofolic acid XXXII. Hydrophobic bonding to dihydrofolic reductase IV. Inhibition by *p*-substituted benzoic and benzoyl-L-glutamic acids, 295
——and Shapiro, H. S., analogs of tetrahydrofolic acid XXXIV. Hydrophobic bonding to dihydrofolic reductase VI. Mode of phenyl binding of some 6-arylpyrimidines, 308
——and Shapiro, H. S., irreversible enzyme inhibitors LXVIII. 2-Amino-5-(*p*-bromoacetamidophenoxypropyl)-6-phenyl-4-pyrimidinol, an active-site-directed irreversible inhibitor of dihydrofolic reductase, 1422
Baker, H. W., *see* Billow, J. A., 1446
Ballard, B. E., effect of physical activity on the absorption rates of procaine penicillin G implants, 515
Banker, G. S., film coating theory and practice, 81
——*see* Fonner, D. E., Jr., 181; 576
——*see* Hecht, G., 678
——*see* Powell, D. R., 601
——*see* Srinivas, R., 335
——*see* Wai, K.-N., 1215; 1244
Bardos, T. J., and Kalman, T. I., spectrophotometric and chemical studies of 5-mercaptouracil, 5-mercaptodeoxyuridine, and their *S*-substituted derivatives, 606
Barry, H., III, and Buckley, J. P., drug effects on animal performance and the stress syndrome, 1159
——*see* Watzman, N., 518; 907
Bartilucci, A. J., *see* Feinstein, W., 332
Bates, T. R., Gibaldi, M., and Kanig, J. L., solubilizing properties of bile salt solutions. I. Effect of temperature and bile salt concentration on solubilization of glutethimide, griseofulvin, and hexestrol, 191; II, Effect of inorganic electrolyte, lipids, and a mixed bile salt system on solubilization of glutethimide, griseofulvin, and hexestrol, 901
Batuyios, N. H., anhydrous lactose in direct tablet compression, 727
Beal, J. L., *see* Hahn, R. A., 466
——*see* Tomimatsu, T., 208
Beamer, R. L., and Lawson, W. W., substrate specificity with palladium-on-silica gel catalysts, 53
Becker, C. H., *see* Asker, A. F., 90
——*see* Draper, E. B., 376
Beckett, A. H., and Choulis, N. H., molecular interaction of stereoisomers when in solid state, 1155
Bell, S. A., *see* Lange, W. E., 386
Benedict, R. G., *see* Tyler, V. E., Jr., 590
Benet, L. Z., and Goyan, J. E., thermodynamics of chelation by tetracyclines' 1184
——*see* Singh, P., 63
Benmaman, J. D., *see* Sorby, D. L., 785
Bernhart, F. W., *see* Tomarelli, R. M., 1392
Bernstein, J., *see* Narayanan, V. L., 217
Beyer, W. F., automated nephelometric determination of rat liver glycogen in adrenal steroid bioassays, 622
——steroid tablet assay involving automated sample preparation and blue tetrazolium reaction, 200
Bhatia, D. G., Sokoloski, T. D., and Bhatia, V. N., dye–polyethylene glycol 6000 interactions in filmcoating solutions and their effect on color uniformity, 1116
Bhatia, V. N., *see* Bhatia, D. G., 1116
——*see* Singh, P., 63
Bianchi, C., *see* Marazzi-Uberti, E., 1105
Biles, J. A., Plakogiannis, F. M., Wong, B. J., and Biles, P. M., distribution of quaternary ammonium salts between chloroform and water, 909
Biles, P. M., *see* Biles, J. A., 909

Billow, J. A., and Baker, H. W., direct determination of aromatic quaternary ammonium salts and long chain aliphatic sulfates and sulfonates, 1446
Bittle, J. L., *see* Daly, W. F., 426
Blaedel, W. J., *see* Bomstein, J., 94
Blake, M. I., and Carlstedt, B., determination of codeine in terpin hydrate and codeine elixir, 1462
——*see* Lin, S.-L., 781
Blasecki, J. W., Jr., and Iannarone, M., microbiological testing of aerosol preparations using *Chaetomium globosum*, 1471
Boder, G. B., *see* Svoboda, G. H., 758
Bodin, J. I., *see* Salim, E. F., 1439
Boghosian, M. P., *see* Schwarm, E. F., 744
Bolt, A. G., Forrest, I. S., and Serra, M. T., quantitative studies of urinary excretion of chlorpromazine metabolites in chronically-dosed psychiatric patients, 1205
Bomstein, J., Shepp, J. M., Dawson, S. T., and Blaedel, W. J., automated differential amperometric analyzer. Application to penicillin determination, 94
Bornstein, M., and Lach, J. L., diffuse reflectance studies of solid–solid interactions II. Interaction of metallic and nonmetallic adjuvants with anthracene, prednisone, and hydrochlorothiazide, 1033
——*see* Lach, J. L., 1040
Borzelleca, J. F., and Lowenthal, W., drug absorption from the rectum II. Rates of absorption and elimination from the blood for various suppository bases, 151
Botré, C., *see* Leonardi, G., 526
Boughton, O. D., Bryant, R., Ludwig, W. J., and Timma, D. L., quantitative determination of ethinyl estradiol by gas chromatography, and a comparison of gas chromatographic and U.S.P. procedures, 951
Bowman, F. W., application of membrane filtration to antibiotic quality control sterility testing, 818
Boylan, J. C., rheological study of selected pharmaceutical semisolids, 710
Bracy, A., Garrett, L., and Weiss, P. J., determination of hydrocortisone and hydrocortisone acetate in antibiotic mastitis preparation, 1113
Brady, L. R., *see* Montfort, M. L., 1300
——*see* Tyler, V. E., Jr., 590
Branin, M.-J., *see* Luduena, F. P., 280
Breckinridge, C. E., Jr., *see* Ice, R. D., 497
Brenner, R. J., *see* Janicki, C. A., 1077
Brewer, J. H., and Arnsberger, R. J., biological-chemical indicator for ethylene oxide sterilization, 57
Britt, E., *see* Kabasakalian, P., 642
Brochmann-Hanssen, E., and Nielsen, B., opium alkaloids III. Isolation of α-allocryptopine, 743
Brock, R. E., and Head, W. F., Jr., mechanisms of antithyroidal activity of methimazole, 822
Brown, M., *see* Leeson, L. J., 431
Brown, M. R. W., *see* Garrett, E. R., 593
Brown, W. F., *see* Probst, G. W., 1408
Brum, V. C., synthesis of methylglyoxal-^{14}C, 351
Bruzzese, T., and Crescenzi, E., *N*-aminoalkyl-α-aminoacids and their corresponding ethyl esters, 737
Bryant, R., Mantle, D. E., and Yoder, D. S., quantitative determination of hexachlorophene in ointments containing salicylic acid and methyl *p*-hydroxybenzoate, 733
——*see* Boughton, O. D., 951
Buckley, J. P., Vogin, E. E., and Kinnard, W. J., effects of pentobarbital, acetylsalicylic acid, and reserpine on blood pressure and survival of rats subjected to experimental stress, 572
——*see* Barry, H., III, 1159
——*see* Jandhyala, B. S., 888
——*see* Watzman, N., 518; 907
Burckhalter, J. H., and Schmied, G., cyclic methyldopa analogs as potential antihypertensive and antineoplastic agents, 443
Burks, T. F., and Long, J. P., catecholamine-induced release of 5-hydroxytryptamine (5-HT) from perfused vasculature of isolated dog intestine, 1383
——and Long, J. P., a potent α-receptor blocking agent, SU-14542, 1405
Burnham, R. J., *see* Fletcher, H. P., 689

C

Caldwell, H. C., *see* Swintosky, J. V., 992
Caldwell, M. E., *see* Ulubelen, A., 1308
Calley, D., Autian, J., and Guess, W. L., toxicology of a series of phthalate esters, 158
Cammarata, A., molecular orbital calculations on some sulfanilamides, 1469
Cantwell, F. F., *see* Hiskey, C. F., 166
Cafew, D. P., growth of callus tissue of *Catharanthus roseus* in suspension culture, 1153
Carey, E. F., *see* Lange, W. E., 1147
Carlstedt, B., *see* Blake, M. I., 1462
Carr, J. B., *see* Huitric, A. C., 211
Carrano, R. A., and Malone, M. H., new pharmacologic aspects of β-diethylaminoethyl-2,2-diphenylpentanoate, 563
Carstensen, J. T., Aron, E. S., Spera, D. C., and Vance, J. J., moisture stress tests in stability programs, 561
Catalfomo, P., and Schultz, H. W., small tube method for the evaluation of antifungal and antibacterial activity, 117
——*see* Constantine, G. H., Jr., 982; 1378
——*see* Lee, E. C., 521
Cates, L. A., and Ferguson, N. M., phosphorus-nitrogen compounds V. Some guanidine and 2-aminopyrimidine derivatives, 966
——Lawrence, W. H., and McClain, R. J., phosphorus–nitrogen compounds VI. Some phenethylamine derivatives, 1400
Cavanaugh, J. H., *see* Yeh, S. Y., 1212
Chafetz, L., and Gaglia, C. A., Jr., assay of methenamine mandelate and its pharmaceutical dosage forms by direct cerimetric titration, 854
Chandronondnaiwinit, W., and Sommers, E. B., modification of polyethylene glycol ointment U.S.P. XVI, 1221
Chatten, L. G., and Doan, L. A., identification and differentiation of organic medicinal agents III. Amine containing antiparkinson agents and newer muscle relaxants, 372
Chaudhari, B. B., Witiak, D. T., and Christiansen, R. M., elucidation of the configuration of an intermediate in the synthesis of *cis*-β-acetoxystyrene II, 213
Chen, J. C. J., *see* Wolf, W., 68
Chin, L., *see* Fiut, R. E., 1085
——*see* Henderson, M. L., 1311
Choulis, N. H., *see* Beckett, A. H., 1155
Christensen, H. D., and Haley, T. J., distribution and biological effects of substance P, 747
Christenson, G. L., *see* Huber, H. E., 974
Christian, J. E., *see* Harris, W. G., 448
——*see* Hecht, G., 678
——*see* Ice, R. D., 497
Christiansen, R. M., *see* Chaudhari, B. B., 213
Clayton, A. W., and Thiers, R. E., direct spectrophotometric determination of salicylic acid, acetylsalicylic acid, salicylamide, caffeine, and phenacetin in tablets or powders, 404
Clements, J. A., *see* DeLuca, P., 450
Cohn, R., Heilig, H., and Delorimier, A., critical evaluation of the compactor, 328
Cohen, R. E., *see* Danowski, T. S., 635
Cole, J. R., *see* Ulubelen, A., 1308; 1368
Cole, R. J., *see* Fletcher, H. P., 689
Connors, K. A., and Mollica, J. A., Jr., theoretical analysis of comparative studies of complex formation. Solubility, spectral, and kinetic techniques, 772
Constantine, G. H., Jr., Catalfomo, P., Sheth, K., and Sciuchetti, L. A., phytochemical investigation of *Arctostaphylos columbiana* Piper and *Arctostaphylos patula* Greene (*Ericaceae*), 1378
——Vitek, M. R., Sheth, K., Catalfomo, P., and Sciuchetti, L. A., chromatographic study of the alkaloids of *Aguilegia formosa*, 982
Coppi, G., *see* Crescenzi, E., 290
Cotty, V. F., and Ederma, H. M., method for the direct measurement of acetylsalicylic acid in human blood, 837
Counsell, R. E., and Adelstein, G. W., hypoiodite oxidation of 3α-bromo and 3α-chloro-2β-hydroxy-5α-androstan-17-one, 947
——and Willette, R. E., synthesis of ^{14}C-labeled isomers of dichlorodiphenyldichloroethanes (DDD), 1012
Coutinho, C. B., *see* Crew, M. C., 1137
Coward, J. K., *see* Baker, B. R., 302
Cox, C. P., and Leaverton, P. E., statistical procedures for bioassays when the condition of similarity does not obtain, 716
——and Ruhl, D. J., simplified computation of confidence intervals for relative potencies using Fieller's theorem, 368
Crescenzi, E., Marazzi-Uberti, E., and Coppi, G., synthesis and preliminary pharmacological evaluation of alkylpiperazine esters, 290
——*see* Bruzzese, T., 737
Crevar, G. E., and Goettsch, R. W., diisopropylammonium dichloroacetate I. Assay, distribution coefficient, and solubility studies, 446
Crew, M. C., Coutinho, C. B., and DiCarlo, F. J., quantitative recovery of radioactivity from ^{14}C-pentaerythritol tetranitrate administered to rats, 1137
Cullen, P. D., Arney, D. C., and Swartz, H. A., chlorpromazine: effect of food intake and glucose distribution in obese and nonobese mice, 107
Cusimano, A. G., *see* Garrett, E. R., 702

D

Dabner, C., *see* Schwarm, E. F., 744
Dale, L. B., *see* Huber, H. E., 974
Daly, W. F., Piascik, L. P., Jr., and Bittle, J. L., enumeration of primary tissue cells by an electronic device, 426
Danowski, T. S., Limaye, N. R., Cohn, R. E., Grimes, B. J., Narduzzi, J. V., and Moses, C., species differences in lipid and endocrine gland responses to a stilbene derivative, 635
Data, J. B., Skibbe, M. O., Kerley, T. L., and Weaver, L. C., synthesis of *N*-substituted phenethylamines and corresponding cyclohexyl analogs. Preliminary evaluation as bronchodilators, 38
Dawson, S. T., *see* Bomstein, J., 94
DeKay, H. G., *see* Srinivas, R., 335
——*see* Wai, K.-N., 1244
DeLeo, A. B., and Stern, M. J., applications of aqueous thermometric titration to pharmaceutical analysis, 173
Delorimier, A., *see* Cohn, R., 328
DeLuca, P., Lachman, L., Yost, W., Clements, J. A., and Rogers, A. R., modified computer programs for determining eutectic temperatures, 450
Demoen, P. J. A., *see* Allewijn, F. T. N., 1028
Dempksi, R. E., and Polli, G. E., pharmaceutial sciences—1965. A literature review, 645
Deruyter, A. L., *see* Mezei, M., 584
Desai, S. J., Singh, P., Simonelli, A. P., and Higuchi, W. I., investigation of factors influencing release of solid drug dispersed in inert matrices. II, Quantitation of procedures, 1224; III, Quantitative studies involving the polyethylene plastic matrix, 1230; IV, Some studies involving the polyvinyl chloride matrix, 1235
De Silva, J. A. F., and Kaplan, J., determination of 7-bromo-1,3-dihydro-5-(2-pyridyl)-2H-1,4-benzodiazepin-2-one (Ro 5-3350) in blood by gas liquid chromatogaphy, 1278
——Koechlin, B. A., and Bader, G., blood level distribution patterns of diazepam and its major metabolite in man, 692
Dessouky, Y. M., *see* Alian, A., 969
Devlin, W. F., and Ross, S. P., oxygen flask method for iodine determination in thyroid protein, 346

——and Watanabe, H., thyroxin–triiodothyronine concentrations in thyroid powders, 390
DiCarlo, F. J., *see* Crew, M. C., 1137
Dilatush, A. E., *see* Jacobs, A. L., 893
Dion, R. L., *see* Loo, T. L., 492
Dittert, L. W., *see* Swintosky, J. V., 992
Dixon, R. L., *see* Loo, T. L., 492
Doan, L. A., *see* Chatten, L. G., 372
Doggett, W. C., *see* Kellett, J. C., Jr., 414
Domer, F. R., *see* Thampi, S. N., 381
Dougherty, T. M., *see* Tomarelli, R. M., 1392
Downs, J. J., *see* Salerni, O. L., 115
Draper, E. B., and Becker, C. H., some wax formulations of sulfaethylthiadiazole (SETD) produced by aqueous dispersion for prolonged-release medication, 376
Dunham, N. W., *see* Fletcher, H. P., 689
Duvall, R. N., *see* Gold, G., 1133; 1291

E

Easterday, D. E., *see* Ellin, R. I., 1263
Eberson, L., *see* Herd, A. K., III, 162
Ebert, A. G., Schleifer, C. R., and Hess, S. M., absorption, disposition, and excretion of ^{3}H-mineral oil in rats, 923
Ecanow, B., *see* Takruri, H., 979
Eckstein, M., and Sulko, J., new drugs in xanthine derivatives XXVI. Pyridylthioethyl derivatives of theobromine and theophylline, and products of their oxidation, 343
Ederma, H. M., *see* Cotty, V. F., 837
Eisdorfer, I. B., Warren, R. J., Thompson, W. E., and Zarembo, J. E., identification of 1-, 2-, 3-, and 4-chlorophenothiazine isomers, 734
——*see* Thompson, W. E., 110; 857
——*see* Warren, R. J., 144; 524
El-Darawy, Z. I., *see* Ahmed, Z. F., 433
El-Leithy, S. A., *see* Ahmed, Z. F., 433
Ellin, R. I., Easterday, D. E., Zvirblis, P., and Kondritzer, A. A., kinetics of deterioration of trimethylene bis-(4-formylpyridinium bromide) dioxime in dilute aqueous solutions, 1263
Ellison, T., *see* Swintosky, J. V., 992
Engel, J. F., *see* Salerni, O. L., 115
Entrekin, D. N., *see* Fincher, J. H., 23
Eriksen, S. P., *see* Kruger-Thiemer, E., 1249
——*see* Robinson, J. R., 1254

F

Farber, S., *see* Israel, M., 568
Farnsworth, N. R., biological and phytochemical screening of plants, 225
Feinstein, W., and Bartilucci, A. J., comparative study of selected disintegrating agents, 332
Feller, D. R., *see* Finger, K. F., 1051
Ferguson, H. C., effect of red cedar chip bedding on hexobarbital and pentobarbital sleep time, 1142
Ferguson, N. M., and Novak, A. F., attempts at induced agranulocytosis in rats using dipyrone, 1306
——*see* Cates, L. A., 966
Ferris, A. F., Salerni, O. L., and Schutz, B. A., tosylation of *N*-phenyl-*N'*-(3-hydroxypropyl)urea, 209
Fifelski, R. J., *see* Aguiar, A. J., 1387
Fincher, J. H., Entrekin, D. N., and Hartman, C. W., surfactant-base–barbiturate suppositories I. Rectal absorption in rabbits, 23
Finger, K. F., and Feller, D. R., interaction of various phenethylamines with the adrenergic-adipose tissue receptor system, *in vitro*, 1051
——and Page, J. G., antagonism of free fatty acid release from rat epididymal fat tissue by desmethylimipramine, 1025
Finholt, P., Kristiansen, H., Krówczyński, L., and Higuchi, T., rate studies on the anaerobic degradation of ascorbic acid IV. Catalytic effect of metal ions, 1435
Firshein, W., *see* Neumeyer, J. L., 441
Fischer, C. G., *see* Schmidt, G. C., 914
Fiut, R. E., Picchioni, A. L., and Chin, L., antagonism of convulsive and lethal effects induced by propoxyphene, 1085
Fletcher, H. P., Burnham, R. J., Cole, R. J., and Dunham, N. W., use of a precision coagulation timer in the biological assay of thrombin, 689
Fonner, D. E., Jr., Banker, G. S., and Swarbrick, J., micromeritics of granular pharmaceutical solids. I, Physical properties of particles prepared by five different granulation methods, 181; II, Factors involved in the sieving of pharmaceutical granules, 576
Forist, A. A., *see* Smith, D. L., 398
Forlano, A. J., and Amai, R. L. S., preparation and biological evaluation of some *N*-amino acid substituted derivatives of serotonin, 169
Forrest, I. S., *see* Bolt, A. G., 1205
Fox, C. D., and Shangraw, R. F., water/oil emulsions prepared by low pressure capillary homogenization. I, Effects of emulsator and composition variables on mannide mono-oleate stabilized systems, 318; II, Stabilizing influence of inorganic electrolytes, secondary emulsifiers, and temperature, 323
Freifelder, M., preparation of some cyanoalkylpiperidines, 535

G

Gaglia, C. A., Jr., *see* Chafetz, L., 854
Garrett, E. R., and Cusimano, A. G., polarography of various *N*-alkyl-*N*-nitrosoureas, 702
——and Lambert, H. J., analog computer in drug dosage and formulation design, 626
——and Lambert, H. J., gas chromatographic analysis of trichloroethanol, chloral hydrate, trichloroacetic acid, and trichloroethanol glucuronide, 812
——Miller, G. H., and Brown, M. R. W., kinetics and mechanisms of action of antibiotics on microorganisms V. Chloramphenicol and tetracycline affected *Escherichia coli* generation rates, 593
Garrett, L., *see* Bracy, A., 1113
Gautieri, R. F., *see* Ward, C. O., 474
Geller, M., *see* Penner, M. H., 429
Genest, K., changes in ergoline alkaloids in seeds during ontogeny of *Ipomoea violacea*, 1284
Gerrauthty, R. J., *see* Sheikh, M. A., 1048
Gershbein, L. L., effect of antitumor antibiotics and antimetabolites on rat diaphragm carbohydrate metabolism, 1303
——effect of drugs and catecholamines on rat diaphragm carbohydrate metabolism, 846
Ghoneim, K. M., Khalifa, M., and Abou-Zeid, Y. M., synthesis of certain 5-nitropyridine derivatives structurally related to some chemotherapeutic agents, 349
Gibaldi, M., and Weiner, N. D., biphasic elimination of noscapine, 769
——*see* Bates, T. R., 191; 901
——*see* Goldberg, A. H., 482; 487; 581
——*see* Mayersohn, M., 1323
Gibson, M. R., *see* Rowland, H. L., 1354
Ginkiewicz, M. C., *see* Heimlich, K. R., 988
Gisvold, O., mono-*O*-isopropylidine derivatives of digitoxin, digoxin, and ouabain, 1350
Glenn, T. M., *see* Green, V. A., 516
Goettsch, R. W., *see* Crevar, G. E., 446
Gold, G., Duvall, R. N., and Palermo, B. T., powder flow studies. I, Instrumentation and applications, 1133; II, Effect of glidants on flow rate and angle of repose, 1291
Goldberg, A. H., Gibaldi, M., and Kanig, J. L., increasing dissolution rates and gastrointestinal absorption of drugs *via* solid solutions and eutectic mixtures. II, Experimental evaluation of a eutectic mixture: urea–acetaminophen system, 482; III, Experimental evaluation of griseofulvin–succinic acid solid solution, 487
——Gibaldi, M., Kanig, J. L., and Mayersohn, M., increasing dissolution rates and gastrointestinal absorption of drugs *via* solid solutions and eutectic mixtures IV. Chloramphenicol–urea system, 581
Goyan, J. E., *see* Benet, L. Z., 1184
Grattan, J. F., *see* Luts, H. A., 1459
Gray, J. E., modified medium containing phosphomolybdic acid useful in the identification of specific yeast-like fungi, 859
Green, V. A., Glenn, T. M., Strada, S. J., and Medina, G., cholinesterase activity and sulfonamide absorption in rats, 516
Greenberg, L., effect of germicidal aerosol treatment on the microbial flora of laboratory air, 740
Greenblatt, I. J., *see* Schmerzler, E., 155
Griffiths, B. W., separation and analysis of degradation products of tetracycline by gel filtration on Sephadex G-25, 353
Grimes, B. J., *see* Danowski, T. S., 635
Grizzle, J. E., *see* Sumner, E. D., 1441
Guess, W. L., *see* Calley, D., 158
——*see* Rodell, M. B., 1429
Guillory, J. K., *see* Singh, P., 63
Guttman, D. E., analysis of steroids in mixtures using the kinetics of blue tetrazolium reduction, 919
——*see* Wadke, D. A., 1088; 1363

H

Haarstad, V. B., *see* Thampi, S. N., 381
Haeger, B. E., *see* Nash, R. A., 829
Hahn, R., *see* Kier, L. B., 1467
Hahn, R. A., Nelson, J. W., Tye, A., and Beal, J. L., pharmacological activity of thalicarpine, 466
Haley, T. J., *see* Christensen, H. D., 747
Hamill, R. D., and Petersen, R. V., effect of surfactant concentration on the interfacial viscosity of a nonaqueous system, 1274
——and Petersen, R. V., effects of aging and surfactant concentration on the rheology and droplet size distribution of a nonaqueous emulsion, 1268
Hamlin, W. E., and Higuchi, W. I., dissolution rate–solubility behavior of 3-(1-methyl-2-pyrrolidinyl)-indole as a function of hydrogen-ion concentration, 205
Hammarlund, E. R., and Van Pevenage, G. L., sodium chloride equivalents, cryoscopic properties, and hemolytic effects of certain medicinals in aqueous solution, 1448
——*see* Kabadi, B. N., 1069; 1072
Hammer, R. H., synthesis of 4-substituted-7-methylpyrrolo[2,3-*d*]pyrimidines, 1096
Hammouda, Y., and Amer, M. S., antidiabetic effect of tecomine and tecostanine, 1452
Hamor, G. H., saccharin derivatives VIII. Hypotensive agents, 530
Hampshire, J., Hebborn, P., Triggle, A. M., and Triggle, D. J., 2,4-diamino-6-substituted-5-(4-carbethoxyphenylazo)pyrimidines as irreversible inhibitors of folic acid reductase, 453
Hanna, J. G., and Siggia, S., kinetic methods of analysis, 541
Hansen, T., *see* Kristensen, K., 610
Harris, W. G., Kessler, W. V., Christian, J. E., and Knevel, A. M., estimation of thiamine by inverse isotope dilution II, 448
Hartman, C. W., *see* Fincher, J. H., 23
Havemeyer, R. N., freezing point curve of dimethyl sulfoxide–water solutions, 851
Haven, G., *see* Papadakis, P. E., 1016
Haycock, R. P., Sheth, P. B., Higuchi, T., Mader, W. J., and Papariello, G. J., kinetics of nitrous acid induced reserpine fluorescence, 826
Head, W. F., Jr., determination of acetyl values, 1321
——*see* Brock, R. E., 822
Hebborn, P., *see* Hampshire, J., 453
Hecht, G., Christian, J. E., and Banker, G. S., *in vivo* pharmacodynamic evaluation of oral dosage forms by whole body liquid scintillometry, 678
Heilig, H., *see* Cohn, R., 328
Heimlich, K. R., and Ginkiewicz, M. C., some factors affecting inhaler dosing, 988
Held, H. R., *see* Landi, S., 18
Henderson, M. L., Picchioni, A. L., and and Chin, L., evaluation of oral dilution as a first aid measure in poisoning, 1311
Henry, H. J., *see* Probst, G. W., 1408
Herd, A. K., III, Eberson, L., and Higuchi, T., hydrolytic behavior of some alkyl-substituted succinanils, 162

Herz, W., and Mirrington, R. N., identification of pyrethrol with taraxastrol, 104
Hess, S. M., *see* Ebert, A. G., 923
Hewitt, M. I., *see* Schmerzler, E., 155
Hiestand, E. N., powders: particle-particle interactions, 1325
Higuchi, T., and Kato, K., ion-pair extraction of pharmaceutical amines II. Extraction profile of chlorpheniramine, 1080
——*see* Finholt, P., 1435
——*see* Haycock, R. P., 826
——*see* Herd, A. K., III, 162
——*see* Repta, A. J., 1200
——*see* Robinson, J. R., 1196
Higuchi, W. I., *see* Desai, S. J., 1224; 1230; 1235
——*see* Hamlin, W. E., 205
Hiskey, C. F., and Cantwell, F. F., interaction of aqueous polyethylene glycol solutions with iodine, 166
Ho, B.-T., *see* Baker, B. R., 295; 302; 470
Hobbs, J. N., *see* Pilcher, K. S., 119
Hochman, H. I., *see* Malone, M. H., 972
Holcomb, G. N., a survey of diabetes mellitus, 125
Hopponen, R. E., *see* Patel, N. R., 1065
Hsu, L. L. J., *see* Wolf, W., 68
Huber, H. E., Dale, L. B., and Christenson, G. L., utilization of hydrophilic gums for the control of drug release from tablet formulations I. Disintegration and dissolution behavior, 974
Huitric, A. C., Carr, J. B., and Trager, W. F., NMR 1,3-diaxial deshielding effect of the hydroxyl group on ring hydrogens studied from partially deuterated six-membered ring compounds, 211
——*see* Roll, D. B., 942

I

Iannarone, M., *see* Blasecki, J. W., Jr., 1471
Ice, R. D., Breckinridge, C. E., Jr., and Christian, J. E., retention, excretion, and distribution of 2,3,5-triiodobenzoic acid and its metabolites in the rat, 497
Ikeda, G. J., *see* Thomas, R. C., 112
Ingram, J. T., and Lowenthal, W., mechanism of action of starch as a tablet disintegrant I. Factors that affect the swelling of starch grains at 37°, 614
Irani, S. A., *see* Paruta, A. N., 1055; 1060
Israel, M., Schlein, H. N., Maddock, C. L., Farber, S., and Modest, E. J., pyrimidine derivatives VIII. 5-Arylazopyrimidines and their inhibitory effects against transplantable mouse tumors, 568

J

Jacobs, A. L., Dilatush, A. E., Weinstein, S., and Windheuser, J. J., formation of acetylcodeine from aspirin and codeine, 893
——*see* Johnston, E. J., 531
Jaleel, H., *see* Shroff, A. P., 844
James, M. N. G., *see* Shefter, E., 643
Jandhyala, B. S., and Buckley, J. P., pharmacology and mechanism of action of cryptenamine, 888
Janicki, C. A., Brenner, R. J., and Schwartz, B. E., thin-layer chromatography of the selective rat toxicant, norbormide, 1077
Johnson, E., *see* Pratt, R., 799
Johnson, J. L., *see* Liska, K. J., 1045
Johnson, R. N., *see* Schaeffer, H. J., 929
Johnston, E. J., and Jacobs, A. L., thin-layer chromatography of cardiac glycosides, 531
Jordaan, J. H., *see* Baker, B. R., 1422
Judis, J., mechanism of action of phenolic disinfectants VII. Factors affecting binding of phenol derivatives to *Micrococcus lysodeikticus* cells, 803
Jusko, W. J., *see* Levy, G., 285; 1322

K

Kabadi, B. N., and Hammarlund, E. R., interaction of nonionic hydrophilic polymers with phenols. I, interaction of phenol and hydroxyphenols with certain macromolecules, 1069; II, interaction of phenol and hydroxyphenols with certain polyethylene glycols, 1072
Kabasakalian, P., Britt, E., and Yudis, M. D., solubility of some steroids in water, 642
Kalman, T. I., *see* Bardos, T. J., 606
Kanig, J. L., *see* Bates, T. R., 191; 901
——*see* Goldberg, A. H., 482; 487; 581
Kanyuck, D. O., *see* Meyers, D. B., 1317
Kapil, R. S., *see* Vohra, M. M., 1425
Kaplan, J., *see* De Silva, J. A. F., 1278
Kaplan, S. A., Riegelman, S., and Lee, K. H., effects of potential inhibitors on metabolism of griseofulvin *in vitro*, 14
Kato, K., *see* Higuchi, T., 1080
Kellett, J. C., Jr., and Doggett, W. C., cholinergic anionic receptors III. Steric requirements for quaternary ammonium inhibitors of acetylcholinesterase II, 414
Kerley, T. L., *see* Data, J. B., 38
Kessler, W. V., *see* Harris, W. G., 448
Keuhnelian, A. M., *see* Sinsheimer, J. E., 1240
Khalifa, M., *see* Ghoneim, K. M., 349
Kier, L. B., molecular orbital localization energies and carbonyl nucleophilic reactivity, 98
——Al-Shamma, A., Hahn, R., and Tye, A., mesoionic 4-oxatriazoles as hypotensive agents, 1467
——and Roche, E. B., molecular orbital calculations of the electronic structure of the sydnones, 807
Kinnard, W. J., Jr., and Watzman, N., techniques utilized in the evaluation of psychotropic drugs on animal activity, 995
——*see* Buckley, J. P., 572
——*see* Watzman, N., 518; 907
Kirschner, E., *see* Medwick, T., 1296
Kitamori, N., *see* Mima, H., 44
Knevel, A. M., *see* Harris, W. G., 448
——*see* Spahr, J. L., 1020
Koechlin, B. A., *see* De Silva, J. A. F., 692
Kondritzer, A. A., *see* Ellin, R. I., 1263
Koorengevel, C. K., *see* Simmons, D. L., 219; 1313
Kornet, M. J., synthesis of 1,2-diethyl-4-(2-hydroxyethyl)pyrazolidine, 355
Kristensen, K., and Hansen, T., absorption, distribution, and elimination of a long-acting vitamin B_{12} preparation, 610
Kristiansen, H., *see* Finholt, P., 1435
Krówczyński, L., *see* Finholt, P., 1435
Kruger-Thiemer, E., and Eriksen, S. P., mathematical model of sustained-release preparations and its analysis, 1249
Kubelka, R., *see* Simmons, D. L., 219
Kurlansik, L., and Salim, E. F., determination of carbonyl compounds by sodium nitrite titration of excess 2,4-dinitrophenylhydrazine in the presence of hydrazone, 1457
Kwan, K. C., and Milosovich, G., evaluation of amylose as a dry binder for direct compression, 340

L

Lach, J. L., and Bornstein, M., diffuse reflectance studies of solid–solid interactions III. Interaction studies of oxytetracycline with metallic and nonmetallic adjuvants, 1040
——and Pauli, W. A., interaction of pharmaceuticals with Schardinger dextrins VI. Interactions of β-cyclodextrin, sodium deoxycholate, and deoxycholic acid with amines and pharmaceutical agents, 32
——*see* Bornstein, M., 1033
Lachman, L., Pauli, W. A., Sheth, P. B., and Paglery, M., lined and unlined rubber stoppers for multiple-dose vial solutions II. Effect of Teflon lining on preservative sorption and leaching of extractives, 962
——Sylwestrowicz, H. D., and Speiser, P. P., compressed coated tablets II. Influence of size distribution of coating granulation on weight uniformity of tablets, 958
——*see* DeLuca, P., 450
——*see* Lazarus, J., 1121
——*see* Versano, J., 1128
Lambert, H. J., *see* Garrett, E. R., 626; 812
Landi, S., and Held, H. R., interaction of 8-hydroxyquinoline sulfate with components present in a tuberculin PPD solution I. Binding of 8-hydroxyquinoline by polysorbate 80, 18
Lange, W. E., and Bell, S. A., fluorometric determination of acetylsalicylic acid and salicylic acid in blood, 386
——and Carey, E. F., metabolism of ^{14}C-labeled glutamic acid and pyroglutamic acid in animals, 1147
Lapidus, H., and Lordi, N. G., some factors affecting the release of a water-soluble drug from a compressed hydrophilic matrix, 840
Lapidus, M., and Rosenthale, M. E., polarographic study of pteridines, 555
Laursen, P., *see* Staba, E. J., 1099
Lawrence, W. H., *see* Cates, L. A., 1400
Lawson, W. W., *see* Beamer, R. L., 53
Lazarus, J., and Lachman, L., experiences in development of directly compressible tablets containing potassium chloride, 1121
Lazo-Wasem, E. A., standardization of papain activity. Report of a collaborative study, 723
Leake, W. F., *see* Ansel, H. C., 685
Leary, J. D., *see* Zito, S. W., 1150
Leaverton, P. E., *see* Cox, C. P., 716
Lee, E. C., Catalfomo, P., and Sciuchetti, L. A., preliminary investigations of *Heracleum mantegazzianum*, 521
Lee, I., *see* Olson, T. N. T., 1
Lee, K. H., *see* Kaplan, S. A., 14
Leeson, L. J., and Brown M., some observations on nonlogarithmic titration curves for the determination of dissociation constants and purity, 431
Leonardi, G., Solinas, M., and Botré, C., interaction between pharmaceuticals and sodium polyethylenesulfonate, 526
Leonardi, R. G., and Lynch, V. D., use of 2(4-hydroxybenzeneazo) benzoic acid for protein determination, 1466
Lesshafft, C. T., Jr., rheological evaluation of lipophilic suspending agents I. Dimethyl dialkyl ammonium hectorite, 1371
Levine, J., *see* Weber, J. D., 78
Levy, G., possibility of simultaneous apparent zero- and first-order kinetics in the *in vivo* formation of a single drug metabolite, 989
——and Jusko, W. J., apparent renal tubular secretion of riboflavin in man, 1322
——and Jusko, W. J., factors affecting the absorption of riboflavin in man, 285
——and Matsuzawa, T., role of sulfate formation in biotransformation of salicylamide in man, 222
——Miller, K. E., and Reuning, R. H., effect of complex formation on drug absorption III. Concentration- and drug-dependent effect of nonionic surfactant, 394
——Weintraub, L., Matsuzawa, T., and Oles, S. R., absorption, metabolism, and excretion of salicylic phenolic glucuronide in rats, 1319
——*see* O'Reilly, R. A., 435
Limaye, N. R., *see* Danowski, T. S., 635
Lin, S.-L., and Blake, M. I., determination of acetylsalicylic acid and barbiturate combinations by differentiating nonaqueous titration, 781
Liska, K. J., Johnson, J. L., Mastrian, J. P., and Steenberg, M. L., LSD analogs. *N*-Methyl-*N*-*p*-(and *m*)-methoxyphenyl-β-alanine derivatives, 1045
Liu, G., *see* Sorby, D. L., 504
Long, J. P., *see* Burks, T. F., 1383; 1405
Loo, T. L., Dion, R. L., Dixon, R. L., and Rall, D. P., the antitumor agent, 1,3-bis(2-chloroethyl) - 1 - nitrosourea, 492
Lordi, N. G., *see* Lapidus, H., 840
Lorenzetti, O. J., Tye, A., and Nelson, J. W., blood nitrite and nitrate concentration after oral and intravenous administration of glyceryl trinitrate in rabbits, 105
——Tye, A., and Nelson, J. W., effect

of glyceryl trinitrate on extracellular fluid space of aortic strips, 977
Lowenthal, W., *see* Borzelleca, J. F., 151
——*see* Ingram, J. T., 614
Luduena, F. P., and Branin, M.-J., adrenolytic activity of atropine, (+)-hyoscyamine, atroscine, homatropine, and related compounds, 280
Ludwig, W. J., *see* Boughton, O. D., 951
Luts, H. A., Zucarello, W. A., Nobles, W. L., and Grattan, J. F., amides derived from hepta- and octamethyleneimine, 1459
Lynch, V. D., *see* Leonardi, R. G., 1466
——*see* Pannuti, C. A., 535

M

Maddock, C. L., *see* Israel, M., 568
Mader, W. J., *see* Haycock, R. P., 826
Malone, M. H., Hochman, H. I., and Nieforth, K. A., desoxycholic acid enhancement of orally administered reserpine, 972
——*see* Carrano, R. A., 563
Manthey, J. E., *see* Amundson, M. A., 277
Mantle, D. E., *see* Bryant, R., 733
Marais, J. L. C., *see* Soldin, S. J., 452
Marazzi-Uberti, E., Turba, C., and Bianchi, C., anti-inflammatory and CNS depressant properties of 1-(4-chlorophenyl)-4-{2-[3-(2-pyridyl)acrylyloxy]-ethyl}-piperazine (DA 1529), 1105
——*see* Crescenzi, E., 290
Mastrian, J. P., *see* Liska, K. J., 1045
Matsuzawa, T., *see* Levy, G., 222; 1319
Mautner, H. G., *see* Shefter, E., 643
Mayersohn, M., and Gibaldi, M., new method of solid–state dispersion for increasing dissolution rates, 1323
——*see* Goldberg, A. H., 581
McCarthy, J. F., *see* Smissman, E. E., 1101
McChesney, E. W., *see* Portmann, G. A., 59; 72
McClain, R. J., *see* Cates, L. A., 1400
McMahon, R. E., microsomal dealkylation of drugs. Substrate specificity and mechanism, 457
Medina, G., *see* Green, V. A., 516
Medwick, T., and Kirschner, E., evaluation of automatic potentiometric titrator in nonaqueous titrations, 1296
Mennear, J. H., and Rudzik, A. D., mechanism of action of anticonvulsant drugs III. Chlordiazepoxide, 640
Meyers, D. B., Kanyuck, D. O., and Anderson, R. C., effect of chronic nortriptyline pretreatment on the acute toxicity of various medicinal agents in rats, 1317
Mezei, M., Sager, R. W., Stewart, W. D., and Deruyter, A. L., dermatitic effect of nonionic surfactants I. Gross, microscopic, and metabolic changes in rabbit skin treated with nonionic surface-active agents, 584
Miller, F. M., *see* Shroff, A. P., 844
Miller, G. H., *see* Garrett, E. R., 593
Miller, K. E., *see* Levy, G., 394
Miller, R. G., Walker, V. L., Schmidt, G. C., and Shirkey, H. C., evidence for the presence of an atropine-degrading enzyme in goat serum, 849
Milosovich, G., *see* Kwan, K. C., 340
Mima, H., and Kitamori, N., stability and flocculation of oil droplets in dilute emulsions, 44
Mirrington, R. N., *see* Herz, W., 104
Modest, E. J., *see* Israel, M., 568
Mollica, J. A., Jr., *see* Connors, K. A., 772
Monte-Bovi, A. J., *see* Pannuti, C. A., 535
Montfort, M. L., Tyler, V. E., Jr., and Brady, L. R., isolation of aurantiacin from *Hydnellum caeruleum*, 1300
Montgomery, K. O., and Weinswig, M. H., ion-exchange separation and ultraviolet spectrophotometric determination of dextromethorphan in pharmaceutical products, 1141
Moore, W. E., *see* Portmann, G. A., 59; 72
Morris, R. W., analgesic and local anesthetic activity of dimethyl sulfoxide, 438
Morrison, J. C., and Orr, J. M., analysis of selected pharmaceuticals by quantitative thin-layer chromatography, 936
Moses, C., *see* Danowski, T. S., 635

N

Nabih, I., structure and activity in the schistosomicidal thiaxanthone and xanthone derivatives, 221
——and Nasr, M., nitration of 1,4-dimethyl-2-quinolone and 1,2-dimethyl-4-quinolone, 736
Nairn, J. G., *see* Sauchuk, R. J., 1463
Narayanan, V. L., Bernstein, J., and Williams, J., antifungal agents I. 5-Substituted-3-(trichloromethyl)-1,-2,4-thiadiazoles, 217
Narduzzi, J. V., *see* Danowski, T. S., 635
Nash, R. A., and Haeger, B. E., zeta potential in the development of pharmaceutical suspensions, 829
Nasir, S. S., and Wilken, L. O., Jr., inositol N.F. New excipient for chewable tablets, 794
Nasr, M., *see* Nabih, I., 736
Nelson, E., *see* O'Reilly, R. A., 435
Nelson, J. W., *see* Hahn, R. A., 466
——*see* Lorenzetti, O. J., 105; 977
Neumeyer, J. L., and Firshein, W., *dl*-2,6-diamino-4-hexynoic acid, a growth inhibitor, 441
Nieforth, K. A., *see* Malone, M. H., 972
Nielsen, B., *see* Brochmann-Hanssen, E., 743
Nigam, I. C., *see* Radecka, C., 861
Ninger, F. C., *see* Sheth, B. B., 1144
Nobles, W. L., *see* Luts, H. A., 1459
——*see* Varma, R. S., 1451
Novotny, J., *see* Baker, B. R., 295

O

Oles, S. R., *see* Levy, G., 1319
Olson, T. N. T., and Lee, I., application of statistical methodology in quality control functions of the pharmaceutical industry. A survey, 1
O'Reilly, R. A., Nelson, E., and Levy, G., physicochemical and physiologic factors affecting the absorption of warfarin in man, 435; erratum, 1474
Orr, J. M., *see* Morrison, J. C., 936

P

Page, J. G., *see* Finger, K. F., 1025
Pagliery, M., *see* Lachman, L., 962
Palermo, B. T., *see* Gold, G., 1133; 1291
Pannuti, C. A., Lynch, V. D., Monte-Bovi, A. J., and Sciarra, J. J., quantitation of the PVA–borate–iodine complex, 535
Papadakis, P. E., condensation of aldoses and their aldehydo derivatives with components of the type 1,3-cyclohexanedione. Synthesis of 2,2-aldosylidene-bis-[5-(*p*-hydroxyphenyl)-4,6-dicarbethoxy-1,3-cyclohexanedione] and 2,2-aldosylidene-bis-[5,5-dimethyl-1,3-cyclohexanedione], 28
——and Haven, G., potential anticancer compounds. Synthesis of 2-carbamoyl and 2-phenyl carbamoyl derivatives of 1,3-cyclohexanedione-type compounds, 1016
Papariello, G. J., *see* Haycock, R. P., 826
Parreira, H. C., *see* Weiner, N. D., 187
Paruta, A. N., and Irani, S. A., solubility profiles for the xanthines in aqueous alcoholic mixtures I. Ethanol and methanol, 1055
——and Irani, S. A., solubility profiles for the xanthines in aqueous solutions of a glycol ether II. Ethyl cellosolve, 1060
——and Sheth, B. B., solubility of parabens in syrup vehicles, 1208
——and Sheth, B. B., solubility of the xanthines, antipyrine, and several derivatives in syrup vehicles, 896
——*see* Sheth, B. B., 1144
Patel, N. R., and Hopponen, R. E., mechanism of action of starch as a disintegrating agent in aspirin tablets, 1065
Patel, R. M., and Zografi, G., factors influencing the surface activity of chlorpromazine at the air–solution interface. Effect of inorganic and organic electrolytes, 1345
Patnaik, G. K., *see* Vohra, M. M., 1425
Pauli, W. A., *see* Lach, J. L., 32
——*see* Lachman, L., 962
Penner, M. P., Talmage, J. M., and Geller, M., detection of *in situ* compound instability by two-dimensional thin-layer chromatography, 429
Petersen, R. V., *see* Hamill, R. D., 1268; 1274
Peterson, R. C., specific activity of trypsin, 49
——stability of the folin phenol reagent, 523
Piascik, L. P., Jr., *see* Daly, W. F., 426
Picchioni, A. L., *see* Fiut, R. E., 1085
——*see* Henderson, M., 1311
Pilcher, K. S., and Hobbs, J. N., inhibition of replication of Lee influenza virus in tissue culture by puromycin, 119
Plakogiannis, F. M., *see* Biles, J. A., 909
Plein, E. M., *see* Sorby, D. L., 785
Polli, G. P., *see* Dempski, R. E., 645
Poole, W. K., *see* Sumner, E. D., 1441
Poore, G. A., *see* Svoboda, G. H., 758
Portmann, G. A., McChesney, E. W., Stander, H., and Moore, W. E., pharmacokinetic model for nalidixic acid in man. I, Kinetic pathways for hydroxynalidixic acid, 59; II, Parameters for absorption, metabolism, and elimination, 72
Portoghese, P. S., stereochemical factors and receptor interactions associated with narcotic analgesics, 865
——and Williams, D. A., stereochemistry of methadol diastereomers, 990
Postma, E., *see* Schwartz, M. A., 1358
Powell, D. R., Swarbrick, J., and Banker, G. S., effects of shear processing and thermal exposure on the viscosity stability of polymer solutions, 601
Pratt, R., and Johnson, E., production of pantothenic acid and inositol by *Chlorella vulgaris* and *C. pyrenoidosa*, 799
Prescott, G. C., automated assay for the antibiotic lincomycin, 423
Price, J. C., *see* Sheikh, M. A., 1048
Probst, G. W., Brown, W. F., and Henry, H. J., comparison of an immunoassay and the U.S.P. bioassay for determining potency of extracted insulin, 1408
Pruett, J. K., and Williams, B. B., effects of some psychotropic agents on peripheral nerve conduction rate, 1139
Prusak, L. P., and Sciarrone, B. J., effects of ionizing radiation on two gelatin fractions III. Carbonyl group analyses and electron spin resonance studies, 407
Pulliam, A. L., *see* Smith, D. L., 398

R

Radecka, C., and Nigam, I. C., detection of trace amounts of lysergic acid diethylamide in sugar cubes, 861
Rall, D. P., *see* Loo, T. L., 492
Redman, G. D., *see* Speaker, T. J., 479
Rehm, C. R., *see* Urbanyi, T., 501
Reier, G. E., and Shangraw, R. F., microcrystalline cellulose in tableting, 510
Reisberg, P., *see* Salim, E. F., 1439
Repta, A. J., Robinson, J. R., and Higuchi, T., interaction of acetic anhydride with di- and tricarboxylic acids in aqueous solution, 1200
——*see* Robinson, J. R., 1196
Reuning, R. H., *see* Levy, G., 394
Rezak, M., *in vitro* determination of defoaming inactivation of silicone antacid tablets, 538
Richardson, A. G., new synthesis of thiphenamil hydrochloride, 1316
Riegelman, S., *see* Kaplan, S. A., 14
Rivard, D. E., *see* Swintosky, J. V., 992
Robbers, J. E., *see* Tyler, V. E., Jr., 590
Robinson, J. R., and Eriksen, S. P., theoretical formulation of sustained-release dosage forms, 1254
——Repta, A. J., and Higuchi, T., interaction of di- and tricarboxylic acids with glutaric anhydride in aqueous solution, 1196
——*see* Repta, A. J., 1200
Roche, E. B., *see* Kier, L. B., 807
Rodell, M. B., Guess, W. L., and Autian, J., interaction of a group of weak organic acids and phenols with a polyamide, 1429
Roegner, F. R., *see* Schmidt, G. C., 914
Rogers, A. R., *see* DeLuca, P., 450
Roll, D. B., and Huitric, A. C., characterization of epoxides of *cis*- and *trans*-

4 - (*p* - chlorophenyl) - 5 - cyanocyclohexene from NMR spectra of derivatives, 942
Roll, W. D., evaluation of *N*-haloacyl analogs of α,α-diphenyl-4-piperidinemethanol against Ehrlich ascites carcinoma in mice, 529
——synthesis of *N,N'*-haloacyl analogs of *p,p'*-oxydianiline as potential antineoplastic agents, 1151
Rosenthale, M. E., *see* Lapidus, M., 555
Ross, S. P., *see* Devlin, 346
Rowland, H. L., and Gibson, M. R., role of ascorbic acid oxidase in the hyoscyamine–scopolamine ratio in *Datura innoxia*, 1354
Rudzik, A. D., *see* Mennear, J. H., 640
Ruhl, D. J., *see* Cox, C. P., 368

S

Sager, R. W., *see* Mezei, M., 584
Salerni, O. L., Engel, J. F., and Downs, J. J., unusual Grignard reaction of 1-acetylbenzo-[*a*]-pyrene, 115
——*see* Ferris, A. F., 209
Salim, E. F., Bodin, J. I., Zimmerman, H. B., and Reisberg, P., qualitative and quantitative tests for tybamate, 1439
——and Shupe, I. S., qualitative and quantitative tests for nalidixic acid, 1289
——*see* Kurlansik, L., 1457
Santi, D. V., *see* Baker, B. R., 302
Sauchuk, R. J., Anderson, J. M., and Nairn, J. G., stirring apparatus for the investigation of unstable strongly adsorbing chemicals, 1463
Schaeffer, H. J., and Johnson, R. N., enzyme inhibitors XIV. Syntheses of some 9-(*m*-substituted benzyl)-6-substituted purines and their evaluation as inhibitors of adenosine deaminase, 929
Schleifer, C. R., *see* Ebert, A. G., 923
Schlein, H. N., *see* Israel, M., 568
Schmerzler, E., Yu, W., Hewitt, M. I., and Greenblatt, I. J., gas chromatographic determination of codeine in serum and urine, 155
Schmidt, G. C., Walker, H. W., Roegner, F. R., and Fischer, C. G., requirements for the growth of *Aspergillus versicolor* on atropine sulfate, 914
——*see* Miller, R. G., 849
Schmied, G., *see* Burckhalter, J. H., 443
Schriftman, H., determination of *in vitro* release rates of sustained-action preparations by paper chromatography and electrophoresis, 985
Schueler, F. W., *see* Thampi, S. N., 381
Schultz, H. W., *see* Catalfomo, P., 117
Schutz, B. A., *see* Ferris, A. F., 209
Schwan, T. J., *see* Baker, B. R., 295
Schwarm, E. F., Dabner, C., Wilson, J. W., Jr., and Boghosian, M. P., nonspecificity of published assays for chloramphenicol solutions, 744
Schwartz, B. E., *see* Janicki, C. A., 1077
Schwartz, Michael A., and Amidon, G. L., reaction of aspirin with amines. Potential mechanism for aspirin allergy, 1464
——and Wu, G.-M., kinetics of reactions involved in penicillin allergy I. Mechanism of reaction of penicillins and 6-aminopenicillanic acid with glycine in alkaline solution, 550
Schwartz, Morton A., and Postma, E., metabolic *N*-demethylation of chlordiazepoxide, 1358
Sciarra, J. J., *see* Pannuti, C. A., 535
Sciarrone, B. J., *see* Prusak, L. P., 407
Sciuchetti, L. A., *see* Constantine, G. H., Jr., 982; 1378
——*see* Lee, E. C., 521
Seers, P., *see* Simmons, D. L., 219; 1313
Serra, M. T., *see* Bolt, A. G., 1205
Setnikar, I., ionization of bases with limited solubility. Investigation of substances with local anesthetic activity, 1190
Shabana, R., *see* Alian, A., 969
Shangraw, R. F., *see* Augsburger, L. L., 418
——*see* Fox, C. D., 318; 323
——*see* Reier, G. E., 510
Shapiro, H. S., *see* Baker, B. R., 308; 1422
Shefter, E., James, M. N. G., and Mautner, H. G., crystal structure of 2,4-diselenouracil, 643
Sheikh, M. A., Price, J. C., and Geraughty, R. J., effect of ultrasound on particle size of suspensions of polyethylene spheres, 1048
Shepp, J. M., *see* Bomstein, J., 94
Sheth, B. B., Paruta, A. N., and Ninger, F. C., solubility of acetanilide and several derivatives in sucrose solutions, 1144
——*see* Paruta, A. N., 896; 1208
Sheth, K., *see* Constantine, G. H., Jr., 982; 1378
Sheth, P. B., *see* Haycock, R. P., 826
——*see* Lachman, L., 962
Shirkey, H. C., *see* Miller, R. G., 849
Shroff, A. P., Jaleel, H. and Miller, F. M., 4,6-disubstituted quinolines and decahydroquinolines, 844
Shupe, I. S., *see* Salim, E. F., 1289
Siggia, S., *see* Hanna, J. G., 541
Simmons, D. L., Koorengevel, C. K., Kubelka, R., and Seers, P., quantitative analysis of anhydrotetracycline on microcrystalline cellulose, 219
——Woo, H. S. L., Koorengevel, C. K., and Seers, P., quantitative determination by thin-layer chromatography of anhydrotetracyclines in degraded tetracycline tablets, 1313
Simonelli, A. P., *see* Desai, S. J., 1224; 1230; 1235
Simpson, P. J., *see* Svoboda, G. H., 758
Singh, P., Guillory, J. K., Sokoloski, T. D., Benet, L. Z., and Bhatia, V. N., effect of inert tablet ingredients on drug absorption I. Effect of polyethylene glycol 4000 on the intestinal absorption of four barbiturates, 63
——*see* Desai, S. J., 1224; 1230; 1235
Sinsheimer, J. E., and Keuhnelian, A. M., near-infrared spectroscopy of amine salts, 1240
Skibbe, M. O., *see* Data, J. B., 38
Slater, J. G., *see* Gold, G., 1291
Sloniewsky, D., *see* Urbányi, T., 730
Smissman, E. E., Voldeng, A. N., and McCarthy, J. F., synthetic approach to dihydrokavain, 1101
Smith, D. L., Pulliam, A. L., and Forist, A. A., comparative absorption of micronized and nonmicronized medroxyprogesterone acetate in man, 398
Smith, L. L., molecular asymmetry of methadon, 101
Soine, T. O., *see* Stubbins, J. F., 1093
Sokoloski, T. D., *see* Bhatia, D. G., 1116
——*see* Singh, P., 63
Soldin, S. J., and Marais, J. L. C., identity of viminalol acetate, 452
Solinas, M., *see* Leonardi, G., 526
Sommers, E. B., *see* Chandronondnaiwinit, W., 1221
Sorby, D. L., and Liu, G., effects of adsorbents on drug absorption II. Effect of an antidiarrhea mixture on promazine absorption, 504
——Plein, E. M., and Benmaman, J. D., adsorption of phenothiazine derivatives by solid adsorbents, 785
Spahr, J. L., and Knevel, A. M., comparative study of the alternating and direct current polarography of several Δ^4-3-ketosteroids, 1020
Speaker, T. J., and Redman, G. D., azulene analogs of pharmacologic agents, 479
Speiser, P. P., *see* Lachman, L., 958
Spencer, J. N., sympathetic blocking action of iproniazid in the unanesthetized dog, 1473
Spera, D. C., *see* Carstensen, J. T., 561
Srinivas, R., DeKay, H. G., and Banker, G. S., new approach to development and manufacture of enteric compression coatings, 335
Staba, E. J., and Laursen, P., morning glory tissue cultures: growth and examination for indole alkaloids, 1099
Stander, H., *see* Portmann, G. A., 59; 72
Steenberg, M. L., *see* Liska, K. J., 1045
Stern, M. J., *see* DeLeo, A. B., 173
Strada, S. J., *see* Green, V. A., 516
Stewart, W. D., *see* Mezei, M., 584
Stock, G. A., Jr., *see* Wolf, H. H., 1455
Stubbins, J. F., and Soine, T. O., synthetic analgesics I. *N*-(2-Dialkylaminoethyl) - 2 - phenylacetanilides, 1093
Sulko, J., *see* Eckstein, M., 343
Sumner, E. D., Thompson, H. O., Poole, W. K., and Grizzle, J. E., particle size distribution and hopper flow rates, 1441
Svoboda, G. H., Poore, G. A., Simpson, P. J., and Boder, G. B., alkaloids of *Acronychia Baueri* Schott I. Isolation of the alkaloids and a study of the antitumor and other biological properties of acronycine, 758
Swarbrick, J., *see* Fonner, D. E., Jr., 181; 576
——*see* Powell, D. R., 601
Swartz, H. A., *see* Cullen, P. D., 107
Swintosky, J. V., Adams, H. J., Caldwell, H. C., Dittert, L. W., Ellison, T., and Rivard, D. E., carbonate prodrugs in formulation and therapeutics, 992
Sylwestrowicz, H. D., *see* Lachman, L., 958

T

Takruri, H., and Ecanow, B., interactions of surfactants with lipoproteins, 979
Talmage, J. M., *see* Penner, M. H., 429
Thampi, S. N., Domer, F. R., Haarstad, V. B., and Schueler, F. W., pharmacological studies of norphenyl hemicholinium, 381
Thiers, R. E., *see* Clayton, A. W., 404
Thomas, R. C., and Ikeda, G. J., preparation of tritium-labeled compounds I. Series of sulfonylurea hypoglycemic agents by exchange with tritium gas, 112
Thompson, H. O., *see* Sumner, E. D., 1441
Thompson, W. E., Warren, R. J., Zarembo, J. E., and Eisdorfer, I. B., nuclear magnetic resonance spectra of amines. I, Identification of *N*-, methyl tertiary amines, 110; III, Identification of *N*-substituted amino acids, 857
——*see* Eisdorfer, I. B., 734
——*see* Warren, R. J., 144; 524
Timma, D. L., *see* Boughton, O. D., 951
Tishler, F., *see* Urbányi, T., 730
Tomarelli, R. M., Dougherty, T. M., and Bernhart, F. W., bioassay of hypocholesterolemic steroids, 1392
Tomimatsu, T., and Beal, J. L., alkaloids of *Thalictrum* VI. Isolation of obamegine from *Thalictrum rugosum*, 208
Topham, J. D., design and operation of a laboratory glass spray drier, 203
Trager, W. F., *see* Huitric, A. C., 211
Triggle, A. M., *see* Hampshire, J., 453
Triggle, D. J., *see* Hampshire, J., 453
Tuckerman, M. M., *see* Yakatan, G. J., 532
Turba, C., *see* Marazzi-Uberti, E., 1105
Tye, A., *see* Hahn, R. A., 466
——*see* Kier, L. B., 1467
——*see* Lorenzetti, O. J., 105; 977
Tyler, V. E., Jr., Benedict, R. G., Brady, L. R., and Robbers, J. E., occurrence of amanita toxins in American collections of deadly amanitas, 590
——*see* Montfort, M. L., 1300

U

Ulubelen, A., Caldwell, M. E., and Cole, J. R., phytochemical investigation of *Abies concolor*, 1308
——and Cole, J. R., proteinaceous antitumor substances from plants II. *Mirabilisi multiflora*, 1368
Urbányi, T., and Rehm, C. R., rapid, sensitive colorimetric method for the determination of estrogens, 501
——Sloniewsky, D., and Tishler, F., quantitative determination of iodochlorhydroxyquin by infrared analysis, 730
Uyeno, E. T., inhibition of isolation-induced attack behavior of mice by drugs, 215

V

Vance, J. J., *see* Carstensen, J. T., 561
Van Pevenage, G. L., *see* Hammarlund, E. R., 1448
Varma, R. S., and Nobles, W. L., attempted Mannich condensation with indanedione-1,3, 1451
Versano, J., and Lachman, L., compressibility of pharmaceutical solids I. Instrumentation employed and preliminary results obtained, 1128

Vitek, M. R., *see* Constantine, G. H., Jr., 982
Vogin, E. E., *see* Buckley, J. P., 572
Vohra, M. M., Patnaik, G. K., Kapil, R. S., and Anand, N., chemistry and pharmacology of a glycoside of *Vallaris solonacea*, 1425
Voldeng, A. N., *see* Smissman, E. E., 1101

W

Wadke, D. A., and Guttman, D. E., hydrolytic behavior of isoalloxazines related to riboflavin. I, Identification of an intermediate and products in the base-catalyzed degradation of 9-methylisoalloxazine, 1088; II, Kinetics of degradation of 9-methylisoalloxazine in alkaline media, 1363
Wai, K.-N., and Banker, G. S., some physicochemical properties of the montmorillonites, 1215
——DeKay, H. G., and Banker, G. S., applications of the montmorillonites in tablet making, 1244
Walker, H. W., *see* Schmidt, G. C., 914
Walker, V. L., *see* Miller, R. G., 849
Wan, L. S. C., interaction of substituted benzoic acids with cationic surfactants, 1395
Ward, C. O., and Gautieri, R. F., effect of certain drugs on perfused human placenta VI. Serotonin antagonists, 474
Warren, R. J., Eisdorfer, I. B., Thompson, W. E., and Zarembo, J. E., spectra-structure correlations of phenothiazines by infrared, ultraviolet, and nuclear magnetic resonance spectroscopy, 144
——Thompson, W. E., Zarembo, J. E., and Eisdorfer, I. B., nuclear magnetic resonance spectra of amines II. Identification of *N*-phenyl amines, 524
——*see* Eisdorfer, I. B., 734
——*see* Thompson, W. E., 110; 857
Watanabe, H., *see* Devlin, W. F., 390
Watzman, N., Barry, H., III, Kinnard, W. J., Jr., and Buckley, J. P., comparison of different photobeam arrangements for measuring spontaneous activity of mice, 907
——Barry, H., III, Kinnard, W. J., Jr., and Buckley, J. P., repeated test of mice in the photocell activity cage after different time intervals, 518
——*see* Kinnard, W. J., Jr., 995
Weaver, L. C., *see* Data, J. B., 38
Weaver, W. J., single-tablet determination of reserpine at the microgram level. Estimation of reserpine in the presence of protoveratrine A and other active drug components, 1111
Weber, J. D., and Levine, J., determination of free salicylic acid in aspirin products, 78
Weiner, N. D., Parreira, H. C., and Zografi, G., interfacial properties of antimicrobial long-chain quaternary ammonium salts II. Soluble films at the oil/water interface, 187
——*see* Gibaldi, M., 769
Weinstein, S., *see* Jacobs, A. L., 893
Weinswig, M. H., *see* Montgomery, K. O., 1141
Weintraub, L., *see* Levy, G., 1319
Weiss, P. J., *see* Bracy, A., 1113
Wilken, L. O., Jr., *see* Nasir, S. S., 794
Willette, R. E., *see* Counsell, R. E., 1012
Williams, B. B., *see* Pruett, J. K., 1139
Williams, D. A., *see* Portoghese, P. S., 990
Williams, J., *see* Narayanan, V. L., 217
Wilson, J. W., Jr., *see* Schwarm, E. F., 744
Windheuser, J. J., *see* Jacobs, A. L., 893
Witiak, D. T., *see* Chaudhari, B. B., 213
Wolf, H. H., and Stock, G. A., Jr., utility of two convulsant techniques as indicators of CNS excitability, 1455
Wolf, W., Chen, J. C. J., and Hsu, L. L. J., chemistry and biochemistry of polyvalent iodine compounds V. Ionization of heterocyclic polyvalent iodine compounds, 68
Wong, B. J., *see* Biles, J. A., 909
Woo, H. S. L., *see* Simmons, D. L., 1313
Woods, L. A., *see* Yeh, S. Y., 1212
Wu, G.-M., *see* Schwartz, M. A., 550

Y

Yakatan, G. J., and Tuckerman, M. M., determination of organically-bound iodine in pharmaceuticals, 532
Yeh, S. Y., Cavanaugh, J. H., and Woods, L. A., simple method for determination of $^{14}CO_2$ from expired air, 1212
Yoder, D. S., *see* Bryant, R., 733
Yost, W., *see* DeLuca, P., 450
Yu, W., *see* Schmerzler, E., 155
Yudis, M. D., *see* Kabasakalian, P., 642

Z

Zaki, O. A., fractionation of the black snake venom (*Walterinnesia aegyptea*) by Sephadex gel filtration, 122
Zarembo, J. E., *see* Eisdorfer, I. B., 734
——*see* Thompson, W. E., 110; 857
——*see* Warren, R. J., 144; 524
Zimmerman, H. B., *see* Salim, E. F., 1439
Zito, S. W., and Leary, J. D., alkaloids of *Scopolia carniolica*, 1150
Zografi, G., *see* Patel, R. M., 1345
——*see* Weiner, N. D., 187
Zucarello, W. A., *see* Luts, H. A., 1459
Zvirblis, P., *see* Ellin, R. I., 1263

Subject Index

A

Abies concolor, phytochemistry, 1308
Absorption, drug, effects of adsorbents, 504
drug, effect of complex formation, 394
drug, effect of inert tablet ingredients, 63
drug, from rectum, 151
gastrointestinal, of drugs increased *via* eutectic mixtures and solid solutions, 482; 487; 581
flufenamic acid, effect of pH, 1387
medroxyprogesterone acetate, in man, micronized and nonmicronized, 398
nalidixic acid, parameters, 72
promazine, effect of antidiarrhea mixture, 504
rates of procaine penicillin G implants affected by physical activity, 515
riboflavin, factor affecting, 285
sulfonamide, effect of cholinesterase activity, 516
warfarin, factors affecting, 435
Acacia, effects of preservatives on aging, 636
Acetaminophen and urea eutectic mixture, evaluation, 482
Acetic anhydride, interaction with di- and tricarboxylic acid in aqueous solution, 1200
***cis*-β-Acetoxystyrene** synthesis, configuration of an intermediate, 213
Acetyl values, determination, 1321
1-Acetylbenzo[*a*]pyrene, unusual Grignard reaction, 115
Acetylcholinesterase inhibitors, quaternary ammonium, steric requirements, 414
Acetylcodeine, formed from aspirin and codeine, 893
2 - (Acetyl - imino) - 3 - [2 - hydroxy-2(2 - thienyl)-ethyl] - thiazoline, metabolic study in chickens, detection of active metabolite, 1028
Acetylsalicylic acid in blood, fluorometric determination, 386
direct spectrophotometric determination in tablets or powders, 404
effect on blood pressure and survival of rats subject to stress, 572
in human blood measured directly, 837 and barbiturate combinations, determination by nonaqueous titration, 781
Acids, weak organic, interaction with a polyamide, 1429
Acronychia baueri alkaloids, isolation and pharmacology, 758
Acronycine, alkaloid of *A. baueri*, antitumor activity, 758
Adenosine deaminase inhibitors, 9-(*m*-substituted benzyl)-6-substituted purines, syntheses, 929
Adrenal steroid bioassays, automated nephelometric determination of rat liver glycogen, 622
Adrenergic receptor system of rat adipose tissue, interaction with phenethylamines, 1051
receptors, a review, 359
Adrenolytic activity of atropine and related compounds, 280
Adsorbents, effects on drug absorption, 504
effect on promazine absorption, 504
Adsorbing chemicals, stirring apparatus to investigate, 1463
Adsorption of phenothiazine derivatives by solid adsorbents, 785
Aerosol germicide, effect on microbial flora of air, 740
preparations, microbiological testing using *Chaetomium globosum*, 1471
β-Alanine, *N*-**methyl-***N*-(*p*- **and** *m*-)-

methoxyphenyl-, derivatives, LSD analogs, 1045

Aldoses and their aldehyde derivatives, condensation with 1,3-cyclohexanedione-type compounds, 28

2,2 - Aldosylidene - bis[5,5 - dimethyl-1,3-cyclohexanedione], synthesis, 28

2,2 - Aldosylidene - bis - [5 - (*p* - hydroxyphenyl) - 4,6 - dicarbethoxy-1,3-cyclohexanedione], synthesis, 28

Alkaloids of *A. baueri,* isolation and pharmacology, 758
ergoline, in seeds of *I. violacea,* changes during ontogeny, 1284
indole, occurrence in morning glory tissue cultures, 1099
opium, α-allocryptopine, 743
of *Scopolia carniolica,* 1150
of *Thalictrum,* obamegine, 208

***N*-Alkyl-*N*-nitrosoureas,** polarography, 702

Alkylpiperazine ester, DA 1529, anti-inflammatory and CNS depressant properties, 1105
esters, synthesis and pharmacology, 290

α-Allocryptopine, alkaloid isolated from opium, 743

Alpha-receptor blocking agent, SU-14542, 1405

Amanita toxins in American deadly amanitas, 590

Amides derived from hepta- and octamethyleneimine, 1459

Amine salts, near-infrared spectroscopy, 1240

Amines, *N*-methyl tertiary, NMR spectra to identify, 110
N-phenyl, NMR spectra to identify, 524
NMR spectra, 110; 524; 857
pharmaceutical, ion-pair extraction, 1080
and pharmaceuticals, interactions with β-cyclodextrin, sodium deoxycholate, and deoxycholic acid, 32
reaction with aspirin, potential mechanism for aspirin allergy, 1464

α-Aminoacids, *N*-aminoalkyl, and corresponding ethyl esters, 737

Amino acids, *N*-substituted, identification by NMR spectra, 857

2 - Amino - 5 - (*p* - bromoacetamidophenoxypropyl) - 6 - phenyl - 4 - pyrimidinol, irreversible inhibitor of dihydrofolic reductase, 1422

2 - Amino - 6 - (*p* - bromoacetamidophenylbutyl) - 5 - phenylbutyl - 4-pyrimidinol, irreversible inhibitor of dihydrofolic reductase, 1417

***N*-Aminoalkyl-α-aminoacids** and their corresponding ethyl esters, 737

6-Aminopenicillanic acid, reaction mechanism with glycine in alkaline solution, 550

2-Aminopyrimidine derivatives of phosphorus-nitrogen compounds, 966

Ammonium salts, aromatic quaternary, direct titration, 1446
salts, quaternary, distribution between chloroform and water, 909

Amperometric analyzer, automated differential, and application to penicillin determination, 94

Amylose, as dry binder for direct compression, 340

Analgesic activity of dimethyl sulfoxide, 438

Analgesics, narcotic, stereochemistry and receptor interactions, a review, 865
synthetic, *N*-(2-dialkylaminoethyl)-2-phenylacetanilides, 1093

Analysis, kinetic methods, a review, 541

Anesthetic, local, activity of dimethyl sulfoxide, 438

Anesthetics, local, ionization, 1190

Anhydrotetracycline, quantitative analysis on microcrystalline cellulose, 219

Anhydrotetracyclines in degraded tetracycline tablets determined by TLC, 1313

α-(*o*-Anisyl)-β,β-diphenylacrylic acid, endocrine gland and lipid responses, 635

Antacid silicone tablets, defoaming inactivation determined, 538

Anthracene, complexation with metallic and nonmetallic adjuvants, diffuse reflectance spectra, 1033

Antibacterial activity evaluated by small tube method, 117
preservatives, hemolysis of erythrocytes, 685

Antibiotics, mastitis preparation, determination of contained hydrocortisone and the acetate, 1113
sterility testing using membrane filtration, 818
antitumor, effect on rat diaphragm carbohydrate metabolism, 1303
kinetics and mechanism of action on microorganisms, 593

Anticancer compounds, synthesis, 1016

Anticonvulsants, mechanism of action, chlordiazepoxide, 640

Antidepressants, potentiation of other agents, 1317

Antidiabetic effect of tecomine and tecostanine, 1452

Antidiarrhea mixture, effect on promazine absorption, 504

Antifungal activity evaluated by small tube method, 117

Antifungals, 5-substituted-3-(trichloromethyl)-1,2,4-thiadiazoles, 217

Antihypertensives, cyclic methyldopa analogs, 443

Anti-inflammatory properties of DA 1529, an alkylpiperazine ester, 1105

Antimetabolites, antitumor, effect on rat diaphragm carbohydrate metabolism, 1303

Antimicrobials, long-chain quaternary ammonium salts, interfacial properties, 187

Antineoplastics, cyclic methyldopa analogs, 443
N,N'-haloacyl analogs of *p,p'*-oxydianiline, 1151

Antiparkinson agents, amine-containing, identification and differentiation, 372

Antipyrine and derivatives, solubility in syrups, 896

Antithyroid action of methimazole, 822

Antitumor activity of 5-arylazopyrimidines, 568
activity of *N*-haloacyl analogs of α,α-diphenyl-4-piperidinemethanol, 529
agent, acronycine, alkaloid of *A. baueri,* 758
agent, 1,3-bis(2-chloroethyl)-1-nitrosourea, 492
antibiotics and antimetabolites, effect on rat diaphragm carbohydrate metabolism, 1303
substances, proteinaceous, from plants, 1368

Apparatus, stirring, for study of unstable strongly adsorbing chemicals, 1463

Aquilegia formosa, chromatographic study of alkaloids, 982

Arcostaphylos columbiana and *A. patula,* phytochemistry, 1378

5-Arylazopyrimidines, antitumor activity, 568

6-Arylpyrimidines, mode of phenyl binding, 308

Ascorbic acid anaerobic degradation, rate studies and catalysis of metal ions, 1435
acid oxidase, role in hyoscyamine–scopolamine ratio in *Datura innoxia,* 1354

Aspergillis versicolor, growth requirements on atropine sulfate, 914

Aspirin allergy, potential mechanism, 1464
and aspirin products, free salicylic acid determined, 78
and codeine from acetylcodeine, 893
reaction with amines, potential mechanism for aspirin allergy, 1464
tablets, starch as disintegrant, 1065

Atropine-degrading enzyme in goat serum, 849

Atropine and related compounds, adrenolytic activity, 280
sulfate, requirements for growth of *Aspergillus versicolor,* 914

Atroscine, adrenolytic activity, 280

Aurantiacin, isolation from *H. caeruleum,* 1300

Automated amperometric analyzer in penicillin determinations, 94
assay for lincomycin, 423
nephelometric determination of rat liver glycogen, 622
sample preparation in steroid tablet assay, 200
potentiometric titrator in nonaqueous titrations, 1296

Azulene analogs of pharmacologic agents, 479

B

Barbiturates and acetylsalicylic acid combinations, determination by nonaqueous titration, 781
identified by paper and thin-layer chromatography, 433
intestinal absorption, effect of PEG 4000, 63
surfactant-base suppositories, rectal absorption in rabbit, 23

Bases, weak with limited solubility, ionization, 1190

Behavior, animal, effect of drugs on stress syndrome, a review, 1159
of mice, comparison of photocell cage methods to measure, 907
of mice, drug inhibition of isolation-induced attack, 215
of mice in photocell activity cage, 518

Benzoic acid, pyrimidines bridged, inhibition of hydrophobic bonding to dihydrofolic reductase, 302
acids, substituted, interaction with cationic surfactants, 1395

Benzoic and benzoyl-L-glutamic acids, *p*-substituted, as inhibitors of hydrophobic bonding to dihydrofolic reductase, 295

Bile salt solutions, concentration and temperature effects on solubilization of griseofulvin, glutethimide, and hexestrol, 191

Bile salt solutions, solubilizing properties, 191; 901

Binder for direct compression, amylose, 340

Bioassays, adrenal steroid, automated nephelometric determination of rat liver glycogen, 622
hypocholesterolemic steroids, 1392
of insulin compared with immunoassay to determine potency, 1408
simplified computations using Fieller's theorem, 368
statistical procedures when condition of similarity does not obtain, 716

Biotransformation, salicylamide in man, role of sulfate formation, 222

1,3-Bis(2-chloroethyl)-1-nitrosourea as antitumor agent, 492

Blue tetrazolium reaction in steroid tablet assay, 200
reduction kinetics to analyze steroids in mixtures, 919

Book Notices
Accepted Dental Remedies 1966, 454
Actualities Pharmacologiques, 864
Advanced Practical Inorganic Chemistry, 358
Advances in Chromatography, Vol. I, 863
Alcoholic Beverages in Clinical Medicine, 864
American Drug Index 1966, 864
The Amphetamines: Toxicity and Dependence, 1322
Antibiotica et Chemotherapia, Vol. 13, 456
Antibiotika-Fibel: Antibiotika und Chemotherapie, 2nd rev. ed., 358
Antifertility Compounds in the Male and Female, 1158
The Application of Neuroleptanalgesia in Anaesthetic and Other Practice, 994
Atmospheric Oxidation and Antioxidants, 540
Basic Biochemistry, 454
The Battle Against Bacteria, 456
Beiträge zur Biochemie und Physiologie von Naturstoffen, 864
Bibliography of Vitamin E 1960–1964, 456
Biochemical Preparations, Vol. 11, 1322
Biochemical Studies of Antimicrobial Drugs, 994
Biochemistry Laboratory Techniques, 864
The Biochemistry of the Nucleic Acids, 5th ed., 864
Boletim de Escola Superior de Farmacia de Lisboa, Vol. VII (1962–1964), 746
British Medical Bulletin, Recent Research in Molecular Biology, 124; Separation of Biological Materials, 1158
British Pharmacopoeia 1963: Addendum 1966, 746
Cahiers de Synthèse Organique: Méthodes et Tableaux D'Application, Vol. XII, 864

Caries-Resistant Teeth, 224
Catalytic Hydrogenation: Techniques and Applications in Organic Synthesis, 863
Chemisch-physikalische Vitaminbestimmungsmethoden, 456
The Chemistry of the Carbonyl Group, Vol. II, 992
The Chemistry of Natural Products. Vol. VI, The Chemistry of the Vitamins, 456
Colour Vision: Physiology and Experimental Psychology, 456
Complement, 224
Current Drug Handbook 1966–68, 1158
Current Topics in Thyroid Research, 746
Dental Visits, Time Interval Since Last Visit, United States: July 1963–June 1964, 864
Dictionary of Organic Compounds, 4th rev. ed., and First Supplement, 1965, 357
Dictionary of Organic Compounds, Second Supplement, 4th ed., 1158
Diet and Live: A Guide to Corrective Eating, 746
Diffusional Separation Processes: Theory, Design, and Evaluation, 746
Drug Identification, 1322
Drug Presentation and Prescribing, 224
Drug and Tracer Kinetics, 864
Encyclopedia of Industrial Chemical Analysis, Vol. 1, General Techniques A-E, 993
Endogenous Substances Affecting the Myometrium, 994
Experimental Pharmaceutical Technology, 2nd ed., 1158
Foundations of Anesthesiology, Vols. I and II, 456
Functions of the Corpus Callosum, 358
Gonadotropins: Physicochemical and Immunological Properties, 994
Guide to the Analysis of Pesticide Residues, Vols. I and II, 994
Handbook of Ultraviolet Methods, 224
Handbuch der Kolorimetrie. Band III, Kolorimetrie in der Biologie, Biochemie und Medizin. 1, Organischer Teil, 1158
Hashish: Its Chemistry and Pharmacology, 358
Hawk's Physiological Chemistry, 14th ed., 455
Herbal, 456
Husa's Pharmaceutical Dispensing, 6th ed., 1158
Index Nominum, Supplement 1965, 224
Indole Alkaloids, 1158
Institutions for the Aged and Chronically Ill, United States, April–June 1963, 994
Interpretation of NMR Spectra: An Empirical Approach, 224
Introduction to Chemical Pharmacology, 2nd ed., 540
Introduction to Modern Biochemistry, 2nd ed., 994
An Introduction to Pharmaceutical Formulation, 746
Journal of Macromolecular Chemistry, Vol. 1, 994
Kurzes Lehrbuch der Pharmakologie, 540
La Relation Medecin-Malade Au Cours des Chimiotherapies Psychiatriques, 358
Les Cytopénies Médicamenteuses, 994
Louis Pasteur: The Germ Killer, 994
Man and Africa, 540
Manual on Recommended Practices in Spectrophotometry, 746
The Mast Cells, 540
Medicinal Plant Alkaloids, 2nd ed., 540
Methods of Biochemical Analysis, Vol. 13, 124
Methods of Biochemical Analysis, Vol. 14, 1322
Methods in Drug Evaluation, 1157
Molecular Modification in Drug Design, 746
Nonexistent Compounds: Compounds of Low Stability, 993
New Drugs: 1965 Edition, 455
Newer Redox Titrants, 994
Official Methods of Analysis of the Association of Official Agricultural Chemists, 455
Optical Page Reading Devices, 1322
Organic Chemistry, 1157
Oxidases and Related Redox Systems, Vols. 1 and 2, 994
Periodontal Disease in Adults, United States, 1960–1962, 994
Pharmaceutical Abstracts, Vol. V, No. 5, 224
Pharmacognosy, 5th rev. ed., 124
1966 Pharmacy State Board Questions and Answers, 124
Physical Methods in Organic Chemistry, 540
Plantas Medicinales de Puerto Rico, 358
Preimplantation Stages of Pregnancy, 864
The Profession of Pharmacy: An Introductory Textbook, 1158
Progress in Biochemical Pharmacology, Vol. 1, 456
Progress in Biophysics and Molecular Biology, Vol. 16, 994
Reaction Mechanisms in Organic Chemistry, 1158
Remington's Pharmaceutical Sciences, XIII ed., 993
Sauerstoff-Verbindungen I. Teil 4. Band VI/4, Methoden der Organischen Chemie (Houben-Weyl), 1158
Science & Practice in Anesthesia, 124
The Scientific Basis of Drug Therapy in Psychiatry, 456
Structure and Function in Biological Membranes, Vol. II, 124
The Structure of Lipids by Spectroscopic and X-Ray Techniques, 358
Subsidia Pharmaceutica, Annual Supplement 1965, 456
Sulfonation and Related Reactions, 864
Synthetic Analgesics. Part II(A) Morphinans. Part II(B) 6,7-Benzomorphans, 1158
Textbook of Biochemistry, 9th ed., 1157
Transcultural Psychiatry, 864
The Uniqueness of Biological Materials, 358
Vitamin Assay: Tested Methods, 124
Borate–Iodine–PVA complex, quantitation, 535
7 - Bromo - 1,3 - dihydro - 5 - (2 - pyridyl) - 2H - 1,4 - benzodiazepin - 2 - one, determination in blood by GLC, 1278
3α - Bromo - 2β - hydroxy - 5α - androstan - 17 - one, hypoiodite oxidation, 947
Bronchodilators, *N*-substituted phenethylamines and corresponding cyclohexyl analogs, 38

C

Caffeine, direct spectrophotometric determination in tablets or powders, 404
Cage, photocell activity, repeated test of mice after different time intervals, 518
photocell, comparison of photobeam arrangements, 907
Capillary homogenization, low pressure, to prepare w/o emulsions, 318; 323
2-Carbamoyl derivatives of 1,3-cyclohexanedione compounds as anticancer agents, 1016
Carbon dioxide, $^{14}CO_2$, from expired air, simple determination, 1212
Carbonate prodrugs in formulation and therapeutics, 992
Carbonyl compounds determined by sodium nitrite titration, 1457
group analyses of effect of ionizing radiation on two gelatin fractions, 407
nucleophilic reactivity and molecular orbital localization energies, 98
Cardiac glycosides, TLC, 531
Catalysts, palladium-on-silica gel, substrate specificity, 53
metal ions in ascorbic acid degradation, 1435
Catecholamines, effect on rat diaphragm carbohydrate metabolism, 846
to induce release of 5-hydroxytryptamine from isolated dog intestine, 1383
Catharanthus roseus, callus tissue growth in suspension culture, 1153
Cellulose, microcrystalline, in tableting, 510
microcrystalline, substrate for analysis of anhydrotetracycline, 211
Central depressant properties of DA 1529, an alkylpiperazine ester, 1105
Cerimetric titration, direct, to assay methenamine mandelate and dosage forms, 854
Chaetomium globosum in microbiological testing of aerosols, 1471
Chemisorption interaction data for anthracene, prednisone, and hydrochlorothiazide with metallic and nonmetallic adjuvant systems, 1033
interaction data for oxytetracycline with metallic and nonmetallic adjuvant systems, 1040
Chloral hydrate, gas chromatographic analysis, 812
Chloramphenicol, effect on *E. coli* generation rates, 593
solutions, published assays, nonspecificity, 744
and urea solid solution, dissolution rates, 581
Chlordiazepoxide, as anticonvulsant, mechanism of action, 640
metabolic *N*-demethylation, 1358
Chlorella pyrenoidosa and *C. vulgaris* as source of pantothenic acid and inositol, 799
3α - Chloro - 2β - hydroxy - 5α - androstan - 17 - one, hypoiodite oxidation, 947
Chlorophenothiazine isomers, 1-, 2-, 3-, and 4-, identification, 734
4 - (*p* - Chlorophenyl) - 5 - cyanocyclohexene (*cis-* and *trans-*), epoxides characterized by NMR spectra of derivatives, 942
1 - (4 - Chlorophenyl) - 4 - [2 - [3-(2 - pyridyl)acrylyloxy] - ethyl] - piperazine, anti-inflammatory and CNS depressant properties, 1105
Chlorpheniramine, ion-pair extraction, 1080
Chlorpromazine, effect on food intake and glucose distribution in obese and nonobese mice, 107
metabolites, urinary excretion in chronically-dosed patients, 1205
surface activity, effect of electrolytes, 1345
Cholinergic anionic receptors, steric requirements for quaternary ammonium inhibitors of acetylcholinesterase, 414
Cholinesterase activity and sulfonamide absorption in rats, 516
Chromatography, alkaloids of *Aquilegia formosa*, 982
gas, analysis of trichloroethanol, chloral hydrate, trichloroacetic acid, and trichloroethanol glucuronide, 812
gas, to determine codeine in serum and urine, 155
gas, ethinyl estradiol, and comparison with U.S.P. method, 951
gas-liquid, to determine Ro 53350 in blood, 1278
paper, in determination of release rates of sustained-action preparations, 985
paper and thin-layer to identify barbiturates, 433
thin-layer, of cardiac glycosides, 531
thin-layer, to determine anhydrotetracycline in degraded tetracycline tablets, 1313
thin-layer, 2-dimensional, detection of *in situ* compound instability, 429
thin-layer, of norbormide, 1077
thin-layer, quantitative, for drug mixtures, 936
Clays, physicochemical properties of montmorillonites, 1215
$^{14}CO_2$, from expired air, simple determination, 1212
Coagulation timer, use in biological assay of thrombin, 689
Coating, film, theory and practice, 81
granulation size, effect on tablet weight uniformity, 958
Coatings, enteric compression, development and manufacture, 335
Codeine, determination in terpin hydrate and codeine elixir, 1462
gas chromatographic determination in serum and urine, 155
and aspirin, from acetylcodeine, 893
Colorimetric method to determine estrogens, 501
Compactor, critical evaluation, 328

Complex formation, effect on drug absorption, 394
formation, theoretical analysis of comparative studies, 772
Compressed coated tablets, 958
Compression characteristics of pharmaceutical solids, instrumentation and preliminary result, 1128
Computer, analog, in drug dosage and formulation design, 626
programs for determining eutectic temperatures, 450
Convulsant techniques as indicators of CNS excitability, 1455
Cryoscopic properties of medicinals in aqueous solution, 1448
Cryptenamine, pharmacology and action, 888
Crystal structure of 2,4-diselenouracil, 643
Cyanoalkylpiperidines, preparation, 535
β-Cyclodextrin, interaction with amines and pharmaceuticals, 32
1,3-Cyclohexanediones, synthesis of 2-carbamoyl and 2-phenyl carbamoyl derivatives as anticancer agents, 1016
1,3-Cyclohexanedione-type compounds, condensation with aldoses and their aldehydo derivatives, 28
Cyclohexyl analogs of *N*-substituted phenethylamines, synthesis and as bronchodilators, 38

D

Datura innoxia, hyoscyamine–scopolamine ratio, role of ascorbic acid oxidase, 1354
DDD, ^{14}C-labeled isomers, synthesis, 1012
Dealkylation of drugs, microsomal, substrate specificity and mechanism, a review, 457
Decahydroquinolines, synthesis, 844
Defoaming inactivation of silicone antacid tablets, 538
Degradation rate studies, ascorbic acid, catalysis of metal ions, 1435
Deoxycholic acid, interaction with amines and pharmaceuticals, 32
Desoxycholic acid enhancement of oral reserpine, 972
Dermatitic effect of nonionic surfactants, 584
Deshielding effect of hydroxyl group through 1,3-diaxial spatial interaction, 211
N-**Desmethyl** diazepam, blood level patterns in man, 692
Desmethylimipramine as antagonist of free fatty acid release from rat fat tissue, 1025
Dextrins, Schardinger, interaction with pharmaceuticals, 32
Dextromethorphan in commercial products determined by ion-exchange separation and U.V. spectrophotometry, 1141
Diabetes mellitus, a survey, 125
N - **(2 - Dialkylaminoethyl) - 1 - phenylacetanilides,** synthetic analgesics, 1093
4,6 - Diamino - 1,2 - dihydro - *s* - triazines, hydrophobic bonding to dihydrofolic reductase, 470
dl-**2,6-Diamino-4-hexynoic acid,** a growth inhibitor, 441
2,4 - Diamino - 6 - substituted - 5 - (4-carbethoxyphenylazo)pyrimidines as irreversible inhibitors of folic acid reductase, 453
Diazepam and its major metabolite, blood level distribution patterns in man, 692
Dicarboxylic acids, interaction with acetic anhydride in aqueous solution, 1200
acids, interaction with glutaric anhydride in aqueous solution, 1196
Dichlorodiphenyldichloroethanes, ^{14}C-labeled isomers, synthesis, 1012
Dielectric requirements for xanthines in ethanol(or methanol)–water mixtures, 1055; in ethyl cellosolve–water mixtures, 1060
β - Diethyl - aminoethyl - 2,2 - diphenylpentanoate, new pharmacologic aspects, 563
1,2 - Diethyl - 4 - (2 - hydroxyethyl)-pyrazolidine, synthesis, 355
Diffuse reflectance studies of solid–solid interactions, 1033; 1040
Digitoxin, mono-*O*-isopropylidine derivatives, 1350
Digoxin, mono-*O*-isopropylidine derivatives, 1350
Dihydrofolic reductase, hydrophobic bonding, 308
reductase, hydrophobic bonding inhibited by *p*-substituted benzoic and benzoyl-L-glutamic acids, 295
reductase, hydrophobic bonding inhibited by pyrimidines bridged to benzoic acid, 302
reductase, hydrophobic bonding with substituted 4,6-diamino-1,2-dihydro-*s*-triazines, 470
reductase inhibitor, 2-amino-5-(*p*-bromoacetamidophenoxypropyl)-6-phenyl-4-pyrimidinol, 1422
reductase inhibitor, 2-amino-6-(*p*-bromoacetamidophenylbutyl) - 5-phenylbutyl-4-pyrimidinol, 1417
Dihydrokavain, synthetic approach, 1101
5,6 - Dihydro - 6 - (2 - thienyl) - imidazo[2,1-*b*]thiazole, active metabolite of antazonite in chickens, 1028
Diisopropylammonium dichloroacetate, assay, distribution coefficient, and solubility studies, 446
Dilution evaluated as first aid measure in poisoning, 1311
Dimethyl dialkyl ammonium hectorite, rheology, 1371
1,2-Dimethyl-4-quinolone and 1,4-dimethyl-2-quinolone, nitration, 736
Dimethyl sulfoxide, analgesic and local anesthetic activity, 438
influence on hemolytic action of phenol, 685
and water solutions, freezing point curves, 851
α,α-Diphenyl-4-piperidinemethanol, *N*-haloacyl analogs, evaluation against Ehrlich ascites carcinoma in mice, 529
Dipyrone, attempts in rats to induce agranulocytosis, 1306
2,4-Diselenouracil, crystal structure, 643
Disinfectants, phenolic, mechanism of action, 803
Disintegrating agent, starch in aspirin tablets, mechanism of action, 1065
agents, comparative study, 332
agent, tablet, action of starch, 614
Disintegration of tablets made with hydrophilic gums, 974
Dissociation constants, determination by nonlogarithmic titration curves, 431
Dissolution behavior of tablets made with hydrophilic gums, 974
rate and solubility behavior of 3-(1-methyl-2-pyrrolidinyl)-indole as a function of hydrogen-ion concentration, 205
rates of drugs increased *via* solid solutions and eutectic mixtures, 482; 487; 581
rates, increased by new method of solid-state dispersion, 1323
Dosage and formulation design using analog computer, 626
Droplet size distribution of nonaqueous emulsion, effects of aging and surfactant concentration, 1268
Drug absorption, effect of inert tablet ingredients, 63
absorption from rectum, 151
effects on animal performance and the stress syndrome, a review, 1159
evaluation, psychotropic effects on animal activity, a review, 995
inhibition of isolation-induced attack behavior in mice, 215
release from a compressed hydrophilic matrix, 840
release, from inert matrices, factors influencing, 1224; 1230; 1235
release, from inert matrices, quantitation of procedures, 1224
release from sustained-release preparations, mathematical model, 1249
Drugs, effect on rat diaphragm carbohydrate metabolism, 846
new xanthine derivatives, 343

E

Editorials
A backward step in drug control (September)
A commitment to excellence (February)
The compendia and drug quality (October)
Considerations in efficacy review (July)
Down to the patient level (January)
Drug names—a semblance of order (June)
From dream to reality (May)
Incentive for the magic goose (November)
Make haste slowly (March)
New era at FDA (April)
New NDA'S—a haunting question, (December)
Regulation of animal experimentation (August)
Electrolytes, inorganic, effect on solubility of griseofulvin, glutethimide, and hexestrol in bile salt solutions, 901
effect on surface activity of chlorpromazine, 1345
Electron spin resonance studies on effect of ionizing radiation on two gelatin fractions, 407
Electronic device to enumerate primary tissue cells, 426
Electrophoretic mobility measurement apparatus, 829
Emulsions, nonaqueous, effects of aging and surfactant concentration on rheology and droplet size distribution, 1268
dilute, stability and flocculation of oil droplets, 44
w/o, prepared by low pressure capillary homogenization, 318; 323
Endocrine gland and lipid responses to a stilbene derivative, 635
Enteric compression coatings, development and manufacture, 335
Enzyme, atropine-degrading, in goat serum, 849
inhibitors, 929
inhibitors, irreversible, 1417; 1422
Ergoline alkaloids in seeds of *I. violacea* changes during ontogeny, 1284
Errata, 1474
Estrogens, determination by colorimetric method, 501
Ethanol and water mixtures, solubility profiles of xanthines, 1055
Ethinyl estradiol, gas chromatographic determination, and comparison with U.S.P. method, 951
Ethyl cellosolve and water mixtures, solubility profiles for xanthines, 1060
Ethylene oxide sterilization, biological-chemical indicator, 57
Eutectic mixtue of urea–acetaminophen, evaluation, 482
mixtures and solid solutions to increase dissolution rates and gastrointestinal absorption of drugs, 482; 487; 581
temperatures, determination by modified computer programs, 450
Excipient for chewable tablets, inositol, 794

F

Fatty acid (free) release from rat fat tissue, antagonized by desmethylimipramine, 1025
Fieller's theorem in computation of confidence intervals for relative potencies, 368
Film coating, theory and practice, 81
color uniformity, effect of dye–PEG 6000 interactions, 1116
Flow properties of fomulations, measurement, 1133
and particle size distribution, 1441
rate, powder, effect of glidants, 1291
Flufenamic acid, absorption, effect of pH, 1387
Fluorescence, reserpine, nitrous acid induced, kinetics, 826
Fluorometry to determine acetylsalicylic acid and salicylic acid in blood, 386
Folic acid reductase, irreversible inhibitors, 2,4-diamino-6-substituted-5-(4-carbethoxyphenylazo) pyrimidines, 453
Folin phenol reagent, stability, 523
Formulation design using analog computer, 626
Freezing point curve of DMSO–water solutions, 851
Fungi, yeast-like, identification, 859

G

Gas chromatography, analysis of tri-

chloroethanol, chloral hydrate, trichloroacetic acid, and trichloroethanol glucuronide, 812
to determine codeine in serum and urine, 155
ethinyl estradiol, and comparison with U.S.P. method, 951
Gas liquid chromatography to determine Ro 53350 in blood, 1278
Germicide aerosol, effect on microbial flora of air, 740
Glidants, effect on powder flow rate and angle of repose, 1291
effect in tableting, 418
Glucose distribution in obese and nonobese mice, chlorpromazine effect, 107
Glutamic acid, ^{14}C-labeled, metabolism in animals, 1147
Glutaric anhydride, interaction with di- and tricarboxylic acids in aqueous solution, 1196
Glutethimide, solubility in bile salt system, effect of inorganic electrolyte and lipids, 901
solubilization by bile salt solutions, 191
Glyceryl trinitrate, blood nitrate and nitrite concentration after oral and i.v. administration in rabbits, 105
effect on extracellular fluid space of aortic strips, 977
Glycosides, cardiac, TLC, 531
Granular solids, factors involved in sieving, 576
Granulation methods, evaluation of five, 181
Granulations prepared with compactor, 328
Grignard reaction (unusual) of 1-acetylbenzo[*a*]pyrene, 115
Griseofulvin, solubility in bile salt system, effect of inorganic electrolyte and lipids, 901
in vitro metabolism, potential inhibitors, 14
solubilization by bile salt solutions, 191
and succinic acid solid solution, evaluation, 487
Growth inhibitor, *dl*-2,6-diamino-4-hexynoic acid, 441
Guanidine derivatives of phosphorus–nitrogen compounds, 966
Gums, hydrophilic, to control drug release from tablets, 974

H

Hemolytic effects of certain medicinals in aqueous solution, 1448
Heptamethyleneimine, amide derivatives, 1459
Heracleum mantegazzianum, preliminary investigation, 521
Hexachlorophene determined in ointments containing salicylic acid and methyl *p*-hydroxybenzoate, 733
Hexestrol, solubility in bile salt system, effect of inorganic electrolyte and lipids, 901
solubilization by bile salt solutions, 191
Hexobarbital sleep time affected by red cedar chip bedding, 1142
Homatropine, adrenolytic activity, 280
Hopper flow rates and particle size distribution, 1441
Hydnellum caeruleum, aurantiacin isolated, 1300
Hydrochlorothiazide, complexation with metallic and nonmetallic adjuvants, diffuse reflectance spectra, 1033
Hydrocortisone and the acetate determined in antibiotic mastitis preparation, 1113
Hydrolysis, alkaline, alkyl-substituted succinanils, 162
Hydrophobic bonding to dihydrofolic reductase, 295; 302; 308; 470
2β-Hydroxyandrostanes, 3α-bromo- and 3α-chloro-, hypoiodite oxidation, 947
2-(4-Hydroxybenzeneazo) benzoic acid, in protein determination, 1466
Hydroxynalidixic acid, kinetic pathways, 59
Hydroxyphenols, interaction with macromolecules, 1069
interaction with polyethylene glycols, 1072
8-Hydroxyquinoline, binding by polysorbate 80, 18
sulfate, interaction with components in tuberculin PPD solution, 18
5-Hydroxytryptamine release from isolated dog intestine, catecholamine-induced, 1383
(+)-Hyoscyamine, adrenolytic activity, 280
Hyoscyamine to scopolamine ratio in *Datura innoxia*, role of ascorbic acid oxidase, 1354
Hypocholesterolemic steroids, bioassay, 1392
Hypoglycemics in diabetes mellitus, 125
tritium-labeled sulfonylureas prepared by exchange with tritium gas, 112
Hypotensives, mesoinoic Ψ-oxatriazoles, 1467
saccharin derivatives, 530

I

Idoxuridine, qualitative and quantitative tests, 620
Indanedione-1,3-, in attempted Mannich condensation, 1451
Indole alkaloids, occurrence in morning glory tissue culture, 1099
Influenza virus, Lee, puromycin inhibition, 119
Infrared analysis to determine iodochlorhydroxyquin quantitatively, 730
near-, spectroscopy of amine salts, 1240
U.V., and NMR spectroscopy for spectra–structure correlations of phenothiazines, 144
Inhaler dosing, factors affecting, 988
Inositol as excipient for chewable tablets, 794
production by *C. vulgaris* and *C. pyrenoidosa*, 799
Instability, compound, detected by 2-dimensional TLC, 427
Instron instrument to measure solids compressibility, 1128
Insulin, development and effects on diabetes mellitis, 125
potency, immunoassay compared to U.S.P. bioassay, to determine, 1408
Interaction of aqueous PEG solutions with iodine, 166
di- and tricarboxylic acids with glutaric anhydride, 1196; with acetic anhydride, 1200
nonionic hydrophilic polymers with phenols, 1069; 1072
pharmaceuticals and Schardinger dextrins, 32
pharmaceuticals and sodium polyethylenesulfonate, 526
substituted benzoic acids with cationic surfactants, 1395
weak organic acids and phenols with a polyamide, 1429
Interfacial properties of antimicrobial long-chain quaternary ammonium salts, 187
Iodine, interaction with aqueous PEG solutions, 166
compounds, heterocyclic polyvalent, ionization, 68
compounds, polyvalent, chemistry and biochemistry, 68
content of organic pharmaceuticals determined, 532
determination in thyroid protein, oxygen flask method, 346
organically-bound in pharmaceuticals, determination, 532
Iodine–borate–PVA complex, quantitation, 535
Iodochlorhydroxyquin determined quantitatively by I.R. analysis, 730
Ion-exchange separation in determination of dextromethorphan in products, 1141
Ionization of bases with limited solubility, 1190
constants, heterocyclic polyvalent iodine compounds, 68
Ion-pair extraction of pharmaceutical amines, 1080
extraction profile of chlorpheniramine, 1080
Ionizing radiation, effects on two gelatin fractions, 407
Ipomoea violacea, changes in ergoline alkaloids in seeds during ontogeny, 1284
growth and occurrence of indole alkaloids, 1099
Iproniazid, sympathetic blocking action in unanesthetized dog, 1473
Isoalloxazines related to riboflavin, hydrolytic behavior, 1088; 1363
Isopropylidine, mono-*O*-, derivatives of digitoxin, digoxin, ouabain, 1350

K

Δ^4-3-Ketosteroids, a.c. and d.c. polarographic analysis compared, 1020
Kinetic methods of analysis, a review, 541
pathways for hydroxynalidixic acid, 59
techniques to study complex formation, 772
Kinetics of degradation of 9-methylisoalloxazine in alkaline media, 1363
deterioration of TMB-4 in dilute aqueous solution, 1263
of drug release from sustained-release preparations, mathematical model, 1249; dosage forms, 1254
and mechanism of action of antibiotics on microorganisms, 584
of nitrous acid induced reserpine fluorescence, 826
of reactions involved in penicillin allergy, 550
simultaneous apparent zero- and first-order, in *in vivo* formation of drug metabolite, 989

L

Lactose, anhydrous, in direct tablet compression, 727
Lincomycin, automated assay, 423
Lipoproteins, interactions with surfactants, 979
Local anesthetics, ionization, 1190
LSD analogs, 1045
Lysergic acid diethylamide, trace amounts in sugar cubes detected, 861

M

Magnesium aluminum silicates, physicochemical properties, 1216
aluminum silicates as tablet adjuncts, 1244
Mannich condensation attempt with indanedione-1,3, 1451
Mannide mono-oleate stabilized w/o emulsions, factors affecting, 318; 323
Matrices, inert, drug release, 1224; 1230; 1235
Matrix, compressed hydrophilic, release of water-soluble drug, 840
Medroxyprogesterone acetate, micronized and nonmicronized, absorption in man, 398
Melphalan, qualitative and quantitative tests, 726
Membrane filtration, antibiotic sterility testing, 818
5-Mercaptodeoxyuridine and *S*-substituted derivatives, spectrophotometric and chemical studies, 606
5-Mercaptouracil and *S*-substituted derivatives, spectrophotometric and chemical studies, 606
Metabolic study, 2-(acetyl-imino)-3[2-hydroxy-2(2-thienyl)-ethyl]-thiazoline in chickens, detection of active metabolite, 1028
Metabolism, biphasic elimination of noscapine, 769
N-demethylation of chlordiazepoxide, 1358
glucose, effect of chlorpromazine, 107
griseofulvin, inhibitors, 14
long-acting vitamin B_{12}, 610
microsomal dealkylation of drugs, 457
^{3}H-mineral oil in rats, 923
nalidixic acid, parameters, 72
and pharmacology of substance P, a review, 747
rat diaphragm carbohydrate, effect of drugs and catecholamines, 846
salicylic phenolic glucuronide in rats, 1319
2,3,5-triiodobenzoic acid in rats, 497
Metabolites of chlorpromazine, quantitative study of urinary excretion in chronically-dosed patients, 1205
Methadol diastereomers, stereochemistry, 990
Methadon, molecular asymmetry, 101
Methanol and water mixtures, solubility profiles of xanthines, 1055
Methenamine mandelate and dosage forms, assay by direct cerimetric titration, 854
Methimazole, antithyroid action, 822
Methyldopa analogs, cyclic, as potential

antihypertensives and antineoplastics, 443
Methylglyoxal-^{14}C, synthesis, 351
9-Methylisoalloxazine, base-catalyzed degradation, identification of an intermediate and products, 1088
degradation in alkaline media, kinetics, 1363
3-(1-Methyl-2-pyrrolidinyl)-indole, dissolution rate and solubility behavior as function of hydrogen-ion concentration, 205
Methyltestosterone, a.c. and d.c. polarography analysis compared, 1020
Micrococcus lysodeikticus, binding of phenol disinfectants, 803
Microcrystalline cellulose as substrate for quantitative analysis of anhydrotetracycline, 219
as tableting agent, 510
Micromeritics of granular pharmaceutical solids, 181; 576
Mineral oil-^{3}H, absorption, distribution, and excretion in rats, 923
Mirabilis multiflora, source of proteinaceous antitumor substance, 1368
Moisture stress tests in stability programs, 561
Molecular interaction of stereoisomers in solid state, 1153
orbital calculations of electronic structure of sydnones, 807
orbital calculations on some sulfanilamides, 1469
orbital localization energies and carbonyl nucleophilic reactivity, 98
Mono-*O*-isopropylidine derivatives of digitoxin, digoxin, ouabain, 1350
Montmorillonites, applications in tablets, 1244
physicochemical properties, 1215
Morning glory tissue cultures, growth and examination for indole alkaloids, 1099
Muscle relaxants, amine-containing, identification and differentiation, 372

N

Nalidixic acid, pharmacokinetic model in man, 59; 72
qualitative and quantitative tests, 1289
Nephelometric determination, automated, rat liver glycogen in adrenal steroid bioassays, 622
Nitrate blood concentration after oral and i.v. glyceryl trinitrate in rabbits, 105
Nitration of 1,4-dimethyl-2-quinolone and 1,2-dimethyl-4-quinolone, 736
Nitrite blood concentration after oral and i.v. glyceryl trinitrate in rabbits, 105
5-Nitropyridine derivatives related to chemotherapeutic agents, synthesis, 349
***N*-Nitrosoureas,** *N*-alkyl-, polarography, 702
Nitrous acid induced reserpine fluorescence, kinetics, 826
NMR 1,3-diaxial deshielding effect of hydroxyl group on ring hydrogens in 6-membered ring compounds, 211
spectra of amines, 110; 524; 857
spectra of derivatives to characterize epoxides of *cis-* and *trans*-4-(*p*-chlorophenyl) - 5 - cyanocyclohexene, 942
Nonaqueous titration to determine acetylsalicylic acid and barbiturate combinations, 781
Norbormide, a selective rat toxicant, thin-layer chromatography, 1077
Norphenyl hemicholinium, pharmacology, 381
Nortriptyline HCl, excretion in man and determination in urine, 277
pretreatment, effect on toxicity of various drugs, 1317
Noscapine, biphasic elimination, 769
Nuclear magnetic resonance, I. R., and U.V. spectroscopy for spectra-structure correlations of phenothiazines, 144
spectra of amines, 110; 524; 857
spectra, identification of *N*-substituted amino acids, 857
spectra to identify *N*-methyl tertiary amines, 110; *N*-phenyl amines, 524

O

Obamegine, alkaloid from *T. rugosum*, 208
Octamethyleneimine, amide derivatives, 1459
Opium alkaloids, isolation of α-allocryptopine, 743
Oral dilution, as poison treatment, 1311
Oral dosage forms, *in vivo* pharmacodynamics by whole body liquid scintillometry, 678
Organic medicinals, identification and differentiation, 372
Ouabain, mono-*O*-isopropylidine derivatives, 1350
Ψ-Oxatriazoles, mesoionic, as hypotensives, 1467
Oxidation, hypoiodite, of 3α-bromo- and 3α - chloro - 2β - hydroxy - 5α-androstan-17-one, 947
***p,p'*-Oxydianiline,** *N,N'*-haloacyl analogs, synthesis and as antineoplastics, 1151
Oxygen flask method for iodine determination in thyroid protein, 346
Oxymetazoline HCl, qualitative and quantitative tests, 956
Oxytetracycline, complexation with metallic and nonmetallic adjuvants, diffuse reflectance spectra, 1040

P

Palladium-on-silica gel catalysts, substrate specificity, 53
Pantothenic acid production by *C. vulgaris* and *C. pyrenoidosa*, 799
Papain, standardization of activity, 723
Paper chromatography in determination of release rates of sustained-action preparations, 985
and thin-layer chromatography to identify barbiturates, 433
Parabens, solubility in syrup vehicles, 1208
Pargyline hydrochloride, qualitative and quantitative tests, 618
Particle size distribution and hopper flow rates, 1441
Particle–particle interaction of powders, a review, 1325
Partition coefficients, quaternary ammonium salts, 909
PEG ointment, modified to increase hydrophilic capacity, 1221
Penicillin allergy, kinetics of reactions involved, 550
determination, application of automated differential amperometric analyzer, 94
G, procaine, implant, absorption rates, 515
reaction mechanism with glycine in alkaline solution, 550
Pentaerythritol tetranitrate, ^{14}C-labeled to study metabolism, 1137
Pentobarbital, effect on blood pressure and survival of rats subjected to stress, 572
sleep time affected by red cedar chip bedding, 1142
pH, effect on flufenamic acid absorption, 1387
Pharmaceutical sciences, literature review, 645
Pharmacokinetic model for nalidixic acid in man, 59; 72
model for sustained-release preparations, 1249
Phenacetin, direct spectrophotometric determination in tablets or powders, 404
Phenethylamine derivatives of phosphorus–nitrogen compounds, 1400
Phenethylamines, interaction with the adrenergic-adipose tissue receptor system, *in vitro*, 1051
N-substituted, and corresponding cyclohexyl analogs, synthesis and as bronchodilators, 38
Phenol, hemolytic action on erythrocytes affected by DMSO, 685
disinfectants, binding to *M. lysodeikticus* cells, 803
Phenols, disinfectants, mechanism of action, 803
interaction with nonionic hydrophilic polymers, macromolecules, 1069; polyethylene glycols, 1072
interaction with a polyamide, 1429
Phenothiazine, monochloroisomers, I.R. and U.V. data to identify, 734
derivatives, adsorption by solid adsorbents, 785
Phenothiazines, spectra-structure correlation by I.R., U.V., and NMR spectroscopy, 144
Phenyl binding of 6-arylpyrimidines, 308
2-Phenyl carbamoyl derivatives of 1,3-cyclohexanedione compounds as anticancer agents, 1016
***N*-Phenyl** amines, identification by NMR spectra, 524
***N* - Phenyl - *N'* - (3 - hydroxypropyl)-urea,** tosylation, 209
Phosphomolybdic acid in medium to identify yeast-like fungi, 859
Phosphorus-nitrogen compounds, guanidine and 2-aminopyrimidine derivatives, 966
compounds, phenethylamine derivatives, 1400
Photocell activity cage, comparison of photobeam arrangements, 907
activity cage, repeated test of mice after time intervals, 518
Phthalate esters, toxicology, 158
Phytochemical and biological screening of plants, a review, 225
Piperazine, alkyl esters, synthesis and pharmacology, 290
Placenta, perfused human, effect of serotonin antagonists, 474
Plants, biological and phytochemical screening, a review, 225
Poisoning, oral dilution as first aid measure, 1311
Polarographic study of pteridines, 555
Polarography of *N*-alkyl-*N*-nitrosoureas, 702
a.c. and d.c. compared, to analyze Δ^4-3-ketosteroids, 1020
Polyamide, interaction with weak organic acids and phenols, 1429
Polyethylene glycol 4000, effect on intestinal absorption of barbiturates, 63
glycol 6000–dye interaction in film-coating solutions, effect on color uniformity, 1117
glycol ointment, modified to increase hydrophilic capacity, 1221
glycol solutions, aqueous, interaction with iodine, 166
plastic matrix, drug release, quantitative study, 1230
spheres in suspension, effect of ultrasound on particle size, 1048
Polymer solutions, effects of shear processing and thermal exposure on the viscosity-stability, 601
Polymers, nonionic hydrophilic, interaction with phenols, 1069; 1072
Polysorbate 80, binding of 8-hydroxyquinoline, 18
Polyvinyl chloride matrix, drug release, 1235
Potassium chloride directly compressible tablets, experiences in development, 1121
Potentiometric titrator, automatic, 1296
Powder flow studies, effects of glidants, 1291
flow studies, instrumentation and applications, 1133
flowmeter, to measure flow properties of pharmaceutical formulations 1133
Powders, particle–particle interactions, a review, 1325
Prednisone, complexation with metallic and nonmetallic adjuvants, diffuse reflectance spectra, 1033
Preservatives, antibacterial, hemolysis of erythrocytes, 685
effect on aging of acacia, 636
Procaine penicillin G implant, effect of physical activity on absorption rates, 515
Progesterone, a.c. and d.c. polarography analysis compared, 1020
Prolonged-release medication, wax-sulfaethylthiadiazole formulations, 376
sulfaethylthiadiazole spray-dried formulations, 90
Promazine absorption, effect of antidiarrhea mixture, 504
Propoxyphene, antagonism of toxic effects, 1085
Protein determination, use of 2-(4-hydroxybenzeneazo) benzoic acid, 1466
Protoveratrine A, reserpine, and other

drugs determined in single tablet at mcg. level, 1111
Psychotropics, effects on animal activity and techniques to evaluate, a review, 995
effects on peripheral nerve conduction rate, 1139
Pteridines, polarographic study, 555
Purines, 9-(*m*-substituted benzyl)-6-substituted, syntheses and as inhibitors of adenosine deaminase, 929
Puromycin, inhibition of Lee influenza virus, 119
PVA–borate–iodine complex, quantitation, 535
Pyrethrol, identification with taraxasterol, 104
Pyrimidine derivatives, as antitumor agent, 568
Pyrimidines, 6-aryl-, mode of phenyl binding, 308
5-arylazo-, antitumor activity, 568
bridged to benzoic acid, inhibition of hydrophobic bonding to dihydrofolic reductase, 302
2,4-diamino-6-substituted-5-(4-carbethoxyphenylazo)-, as irreversible inhibitors of folic acid reductase, 453
4-substituted-7-methylpyrrolo-[2,3-*d*]-, synthesis, 1096
Pyridylthioethyl derivatives of theobromine and theophylline and oxidation products, 343
Pyroglutamic acid, ^{14}C-labeled, metabolism in animals, 1147

Q

Quality control in pharmaceutical industry, application of statistical methodology, a review, 1
Quaternary ammonium inhibitors of acetylcholinesterase, steric requirements, 414
ammonium salts, aromatic, direct titration, 1446
ammonium salts, long-chain, interfacial properties, 187
Quinolines, decahydro-, and 4,6-disubstituted, synthesis, 844
Quinolones, dimethyl, nitration, 736

R

Radiation, ionizing, effects on two gelatin fractions, 407
Radioactivation and tracer studies on tartar emetic impurities, 969
α-Receptor, blocking agent, 1405
Repose angle, powder, effect of glidants, 1291
Reserpine, effect on blood pressure and survival of rats subjected to stress, 572
fluorescence, nitrous acid-induced, kinetics, 826
oral, desoxycholic acid enhancement, 972
single-tablet determination at mcg. level, in presence of other components, 1111
Rheology of lipophilic suspending agents, 1371
of nonaqueous emulsion, effects of aging and surfactant concentration, 1268
of 13 pharmaceutical semisolids, 710
Riboflavin, absorption in man, 285
apparent renal tubular secretion in man, 1322
related isoalloxazines, hydrolytic behavior, 1088; 1363

S

Saccharin derivatives as hypotensives, 530
Salicylamide, biotransformation in man, role of sulfate formation, 222
direct spectrophotometric determination in tablets or powders, 404
Salicylic acid in blood, fluorometric determination, 386
direct spectrophotometric determination in tablets or powders, 404
free, determination in aspirin and products, 78
Salicylic phenolic glucuronide, absorption, metabolism, and excretion, 1319
Schardinger dextrins, interaction with pharmaceuticals, 32
Schistosomicidals, thiaxanthone and xanthone derivatives, structure and activity, 221
Sciences, pharmaceutical, literature review, 645
Scintillation, whole body liquid, to evaluate *in vivo* oral dosage forms, 678
Scopolia carniolica alkaloids, 1150
Sephadex gel filtration to fractionate black snake venom, 122
filtration to separate and analyze tetracycline degradation products, 353
Serotonin, *N*-amino acid substituted derivatives, preparation and biological evaluation, 169
antagonist, effect on perfused human placenta, 474
Shear processing of polymer solutions, effect on viscosity-stability, 601
Sieving to classify granules, 576
Silicone antacid tablets, defoaming inactivation determined, 538
Sleep time, hexobarbital and pentobarbital, affected by red cedar chip bedding, 1142
Snake venom, black, fractionation by Sephadex gel filtration, 122
Sodium chloride equivalents of medicinals in aqueous solution, 1448
deoxycholate, interaction with amines and pharmaceuticals, 32
nitrite titration, of excess 2,4-dinitrophenylhydrazine in presence of hydrazone to determine carbonyl compounds, 1457
polyethylenesulfonate, interaction with pharmaceuticals, 526
Solid solutions, new method of preparation, 1321
Solid–solid interactions, diffuse reflectance studies, 1033; 1040
Solid-state dispersion, new method, 1323
Solids, compressibility, quantitative measure, instrumentation, 1128
Solubility, acetanilid and derivatives in sucrose solutions, 1144
parabens in syrup vehicles, 1208
profiles for xanthines in aqueous alcoholic mixtures, 1055
profiles for xanthines in aqueous solutions of a glycol ether, 1060
some steroids in water, 642
techniques to study complex formation, 772
Solutions, solid, of griseofulvin and succinic acid, evaluation, 487
solid, and eutectic mixtures to increase dissolution rates and gastrointestinal absorption of drugs, 482; 487; 581
solid, new preparative method, 1321
Spectral techniques to study complex formation, 772
Spectrophotometry, 5-mercaptouracil, 5-mercaptodeoxyuridine, and their *S*-substituted derivatives, 606
U.V., in determination of dextromethorphan in products, 1141
used directly to determine salicylic acid, acetylsalicylic acid, salicylamide, caffeine, and phenacetin in tablets, or powders, 404
Spectroscopy, diffuse reflectance, to study solid–solid interactions, 1033; 1040
NMR, U.V., and I.R., spectra-structure correlation of phenothiazines, 144
near-infrared, amine salts, 1240
Spray-dried formulations of sulfaethylthiadiazole for prolonged-release medication, 90
Spray drier, glass, laboratory, design and operation, 203
Stability, oil droplets in dilute emulsions, 44
programs, moisture stress tests, 561
Starch as disintegrant in aspirin tablets, mechanism of action, 1065
factors affecting swelling at 37°, 614
as tablet disintegrant, mechanism of action, 614
Statistics, methodology applied to pharmaceutical quality control, a review, 1
procedures for bioassays when condition of similarity does not obtain, 716
Stereochemical factors and receptor interactions associated with narcotic analgesics, 865
Stereochemistry of methadol diastereomers, 990
Stereoisomers, molecular interaction in solid state, 1153
Sterility testing, of antibiotics using membrane filtration, 818
Sterilization, ethylene oxide, biological-chemical indicator, 57
Steroid mixtures analyzed using kinetics of blue tetrazolium reduction, 919
tablet assay, automated sample preparation and blue tetrazolium reaction, 200
Steroids, hypocholesterolemic, bioassay, 1392
solubility in water, 642
Stilbene derivative, lipid and endocrine gland responses, 635
Stoppers, rubber, lined and unlined for multiple dose vials, 962
Stress syndrome, and animal performance, effect of drugs, a review, 1159
SU-14542, a potent α-receptor blocking agent, 1405
Substance P, distribution and biology, a review, 747
Succinanils, alkyl-substituted, hydrolytic behavior, 162
Succinic acid–griseofulvin solid solution, evaluation, 487
Sucrose solutions, solubility of parabens, 1208
solutions, solubility profiles for acetanilide and derivatives, 1144
Sulfaethylthiadiazole, spray-dried formulations for prolonged-release, 90
and wax formulations, for prolonged-release medication, 376
Sulfanilamides, molecular orbital calculations, 1459
Sulfates, long chain aliphatic, direct titration, 1446
Sulfonamide absorption, effect of cholinesterase activity, 516
Sulfonates, long chain, direct titration, 1446
Sulfonylurea hypoglycemics, tritium-labeled, prepared by exchange with tritium gas, 112
Suppositories, barbiturate in surfactant base, rectal absorption in rabbit, 23
Suppository bases, rates of drug absorption and elimination from blood, 151
Surface activity of chlorpromazine, effect of electrolytes, 1345
Surface-active agents, effects on rabbit skin, 584
Surfactant concentration, effect on interfacial viscosity in nonaqueous system, 1274
concentration, effect on nonaqueous emulsion, 1268
nonionic, concentration and complex formation, effect on drug absorption, 394
Surfactants, base for barbiturate suppositories, rectal absorption in rabbits, 23
cationic, interaction with substituted benzoic acids, 1395
interactions with lipoproteins, 979
nonionic, dermatitic effects, 584
Suspending agents, lipophilic, rheology, 1371
Suspension culture of *C. roseus,* callus tissue growth, 1153
Suspensions, ultrasound effect on particle size of polyethylene spheres, 1048
zeta potential in development, 829
Sustained-release dosage forms, theoretical formulation, 1254
preparations, mathematical model and its analysis, 1249
preparations, release rate determined by paper chromatography and electrophoresis, 985
Sydnones, electronic structure calculated from an ω-HMO technique, 807
Sympathetic blocking action of ipronia-zid in unanesthetized dog, 1473
Syrup, effect of sucrose content on solubility of xanthines, antipyrine, and derivatives, 896

T

Tablets, chewable, inositol as excipient, 794
compressed coated, 958
control of drug release with hydrophilic gums, 974
direct compression using anhydrous lactose, 727
directly compressible, of potassium

chloride, factors in development, 1121
disintegrant, action of starch, 614; 1065
effect of glidants, 418
filmcoating color uniformity, effect of dye–PEG 6000 interactions, 1116
inert ingredients effect on drug absorption, 63
montmorillonites as adjuncts, 1244
prolonged-release, rate of drug release, 840
single, mcg. amounts of reserpine determined in presence of other drugs, 1111
weight uniformity, effect of coating granulation size, 958
Tableting, microcrystalline cellulose, 510
Taraxasterol identification with pyrethrol, 104
Tartar emetic impurities, tracer and radioactivation studies, 969
Tecomine, antidiabetic effect, 1452
Tecostanine, antidiabetic effect, 1452
Teflon lined rubber stoppers, protection against sorption and leaching, 962
Terpin hydrate and codeine elixir, determination of codeine, 1462
Testosterone, a.c. and d.c. polarography analysis compared, 1020
Tetracycline, anhydro-, quantitative analysis on microcrystalline cellulose, 219
degradation products, separation and analysis by gel filtration on Sephadex G-25, 353
effect on *E. coli* generation rates, 593
tablets, degradation determined by TLC, 1313
chelation thermodynamics, 1184
Tetrahydrofolic acid analogs, 295; 302; 308; 470
Thalicarpine, pharmacologic activity, 466
Thalictrum alkaloids, obamegine from *T. rugosum*, 208
Theobromine, pyridylthioethyl derivatives and oxidation products, 343
Theophylline, pyridylthioethyl derivatives and oxidation products, 343
Thermal exposure of polymer solutions, effect on viscosity-stability, 601
Thermodynamics of chelation by tetracyclines, 1184
Thermometric titration, aqueous, application to pharmaceuticial analysis, 173
Thiadiazoles, 5-substituted-3(trichloromethyl)-1,2,4-, as antifungal, 217
Thiamine estimation by inverse isotope dilution, 448
Thiaxanthone and derivatives, structure and schistosomicidal activity, 221
Thin-layer chromatography of cardiac glycosides, 531
to determine anhydrotetracycline in degraded tetracycline tablets, 1313
2-dimensional, detection of *in situ* compound instability, 429
of norbormide, 1077
quantitative, for drug mixtures, 936
and paper chromatography to identify barbiturates, 433
Thiphenamil hydrochloride, new synthesis, 1316
Thrombin, biological assay using precision coagulation timer, 689
Thyroid powders, thyroxin–triiodothyronine concentrations, 390
protein, iodine determined by oxygen flask method, 346
Titration, aqueous thermometric, application to pharmaceutical analysis, 173
cerimetric, direct, to assay methenamine mandelate and dosage forms, 854
direct, determination of aromatic quaternary ammonium salts and long chain aliphatic sulfates and sulfonates, 1446
nonaqueous, to determine acetylsalicylic acid and barbiturate combinations, 781
sodium nitrite, to determine carbonyl compounds, 1457
curves, nonlogarithmic, for determination of dissociation constants and purity, 431
Titrator, automatic potentiometric, in nonaqueous titrations, 1296
TMB-4, deterioration in dilute aqueous solution, 1263
Toxicology, propoxyphene antagonism, 1085
***s*-Triazines,** substituted 4,6-diamino-1,2-dihydro-, and hydrophobic bonding to dihydrofolic reductase, 470
Tricarboxylic acids, interaction with acetic anhydride in aqueous solution, 1200
acids, interaction with glutaric anhydride in aqueous solution, 1196
Trichloroacetic acid, gas chromatographic analysis, 812
Trichloroethanol, gas chromatographic analysis, 812
glucuronide, gas chromatographic analysis, 812
2,3,5-Triiodobenzoic acid and metabolites, retention, excretion, and distribution in rats, 497
Triiodothyronine–thyroxin concentrations in thyroid powders, 390
Trimethylene bis-(4-formylpyridinium bromide) dioxime, kinetics of deterioration in dilute aqueous solution, 1263
Tritium-labeled sulfonylurea hypoglycemics, preparation, 112
Trypsin, specific activity, 49
Tuberculin PPD solution components, interaction with 8-hydroxyquinoline sulfate, 18
Tybamate, qualitative and quantitative tests, 1439

U

Ultrasound, effect on particle size of polyethylene spheres in aqueous suspension, 1048
Ultraviolet, I.R., and NMR spectroscopy for spectra-structure correlations of phenothiazines, 144
spectrophotometry in determination of dextromethorphan in products, 1141
Urea and acetaminophen eutectic mixture, evaluation, 482
and chloramphenicol solid solution, dissolution rates, 581

V

Vallaris solonacea glycoside, chemistry and pharmacology, 1425
Viminalol acetate, identity, 452
Viscosity, interfacial of nonaqueous system, effect of surfactant concentration, 1274
Vitamin B_{12}, long-acting preparation, absorption, distribution, and elimination, 610

W

Walterinnesia aegyptea venom, black snake, fractionation by Sephadex gel filtration, 122
Warfarin, absorption in man, factors affecting, 435
Water/oil emulsions, prepared by low pressure capillary homogenization, 318; 323
Wax–sulfaethylthiadiazole formulations, for prolonged-release medication, 376

X

Xanthine derivatives, new drugs, 343
Xanthines, solubility profiles in aqueous alcoholic mixtures, 1055
solubility profiles in aqueous solutions of a glycol ether, 1060
solubility in syrups, 896
Xanthone and derivatives, structure and schistosomicidal activity, 221

Z

Zeta potential in development of suspensions, 829